

## Datasheet for: 110272


**Straight screw-in fitting POM, G 1/2 o., for hose exterior Ø 12**

Straight screw-in fitting POM, G 1/2 o., for hose exterior Ø 12 mm, Working pressure max. 10 bar . Lightweight, push-in fittings distinguished by high strength, toughness, resistance to abrasion and impact resistance - ideal for a wide range of applications. All our push-in fittings made of POM have the following approvals: drinking water DVGW, KTW, FDA and NSF. Plastic and metal tubes are connected together quickly and easily. Suitable for compressed air or liquids, with good resistance to a large number of chemicals.

|                |  |
|----------------|--|
| Type number    | 65.012-12  |
| Article number | 110272   |
| EAN/barcode    | <br>4047322109727 |
| Your price     | 3,70 € / Stk   |

**Minimum order quantity**

|                        |       |
|------------------------|-------|
| Price Unit             | 1     |
| Quantity Unit          | Stk   |
| Packaging Unit         | 1     |
| Content                | 1 Stk |
| Minimum order quantity | 1     |

**Productdata**

|                                     |                      |
|-------------------------------------|----------------------|
| For tube O.D.                       | 12 mm                |
| L1                                  | 34.0 mm              |
| Material                            | Acetal polymer (POM) |
| Max. operating temperature in air   | 70 °C                |
| Max. operating temperature in water | 70 °C                |
| Max. working pressure               | 10 bar               |
| Min. operating temperature in air   | -20 °C               |
| Min. operating temperature in water | 1 °C                 |
| Page No.                            | HK939                |
| Thread                              | G 1/2                |
| a/f                                 | 27 mm                |

## Variants

| Article number | Thread | For tube O.D. | Max. working pressure | Price         |
|----------------|--------|---------------|-----------------------|---------------|
| 110272         | G 1/2  | 12 mm         | 10 bar                | 3,70 € / Stk  |
| 110259         | G 1/8  | 4 mm          | 16 bar                | 1,44 € / Stk  |
| 110260         | G 1/8  | 5 mm          | 16 bar                | 1,50 € / Stk  |
| 110261         | G 1/8  | 6 mm          | 16 bar                | 1,50 € / Stk  |
| 110262         | G 1/8  | 8 mm          | 16 bar                | 1,55 € / Stk  |
| 110263         | G 1/4  | 4 mm          | 16 bar                | 1,75 € / Stk  |
| 110264         | G 1/4  | 5 mm          | 16 bar                | 1,75 € / Stk  |
| 110265         | G 1/4  | 6 mm          | 16 bar                | 1,99 € / Stk  |
| 110266         | G 1/4  | 8 mm          | 16 bar                | 1,93 € / Stk  |
| 110267         | G 1/4  | 10 mm         | 10 bar                | 2,46 € / Stk  |
| 110268         | G 3/8  | 8 mm          | 16 bar                | 2,05 € / Stk  |
| 110269         | G 3/8  | 10 mm         | 10 bar                | 2,70 € / Stk  |
| 110270         | G 3/8  | 12 mm         | 10 bar                | 3,33 € / Stk  |
| 110271         | G 1/2  | 10 mm         | 10 bar                | 3,44 € / Stk  |
| 110273         | G 1/2  | 15 mm         | 10 bar                | 6,83 € / Stk  |
| 110274         | G 1/2  | 18 mm         | 10 bar                | 6,83 € / Stk  |
| 110275         | G 3/4  | 22 mm         | 10 bar                | 6,83 € / Stk  |
| 135951         | G 3/4  | 15 mm         | 10 bar                | 7,67 € / Stk  |
| 135950         | G 3/8  | 15 mm         | 10 bar                | 4,32 € / Stk  |
| 135952         | G 1    | 28 mm         | 10 bar                | 11,20 € / Stk |

## More Pictures

