

## Datasheet for: 134446


**Reducing nipple, short, G 1/2 ET, G 3/8 IT, AF 24, Brass**

Reducing nipple, Short design, G 1/2 ET, G 3/8 IT, AF 24, Brass, Max. working pressure 25 bar, Max. operating temperature 150 °C .

Type number	MS251K1238
Article number	134446
EAN/barcode	 4047322486880
Your price	1,60 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Description	Reducing nipple G 1/2 ET to G 3/8 IT
Female thread	G 3/8
L1	17.0 mm
L2	11.0 mm
Male thread	G 1/2
Material	Brass CW614N
Max. operating temperature	150 °C
Max. working pressure	25 bar
Page No.	HK763
Page No. TS	TS013
a/f	24 mm

**Variants**

Article number	Male thread	Female thread	a/f	Price
134446	G 1/2	G 3/8	24 mm	1,60 € / Stk
134443	G 3/8	G 1/4	19 mm	0,91 € / Stk

## Variants

<i>Article number</i>	<i>Male thread</i>	<i>Female thread</i>	<i>a/f</i>	<i>Price</i>
134450	G 1	G 1/2	38 mm	4,19 € / Stk
134441	G 1/4	G 1/8	17 mm	0,76 € / Stk
134459	G 2	G 1 1/4	70 mm	27,79 € / Stk
134453	G 1 1/4	G 1	50 mm	9,36 € / Stk
134444	G 1/2	G 1/8	24 mm	1,54 € / Stk
134442	G 3/8	G 1/8	19 mm	0,90 € / Stk
134456	G 1 1/2	G 1	55 mm	19,50 € / Stk
134467	G 3	G 2 1/2	95 mm	81,24 € / Stk
134449	G 3/4	G 1/2	32 mm	2,61 € / Stk
134466	G 3	G 2	95 mm	80,73 € / Stk
134452	G 1 1/4	G 3/4	50 mm	8,53 € / Stk
134462	G 2 1/2	G 2	80 mm	78,00 € / Stk
134448	G 3/4	G 3/8	32 mm	2,59 € / Stk
134457	G 1 1/2	G 1 1/4	55 mm	19,80 € / Stk
134447	G 3/4	G 1/4	32 mm	2,52 € / Stk
134460	G 2	G 1 1/2	70 mm	29,61 € / Stk
134458	G 2	G 1	70 mm	26,33 € / Stk
134463	G 3	G 1	95 mm	76,23 € / Stk
134445	G 1/2	G 1/4	24 mm	1,56 € / Stk
134451	G 1	G 3/4	38 mm	4,50 € / Stk
134464	G 3	G 1 1/4	95 mm	78,01 € / Stk
134461	G 2 1/2	G 1 1/2	80 mm	37,08 € / Stk
134465	G 3	G 1 1/2	95 mm	79,20 € / Stk
134455	G 1 1/2	G 3/4	55 mm	10,23 € / Stk

## More Pictures

