

Datasheet for: 109135


Straight push-in fitting »Blue Series«, R 1/8 o., hose ext. Ø 6

Straight push-in fitting »Blue Series«, R 1/8 o., for hose exterior Ø 6 mm, Working pressure max. 15 bar . Push-in fittings series manufactured in plastic and nickel-plated brass. All parts are suitable for use with hoses, tubes or pipes made of plastic and copper.

Type number	123.018-6
Article number	109135
EAN/barcode	 4047322022774
Your price	1,45 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Applications	Air, vacuum
For tube O.D.	6 mm
Hexagon socket head L1	4.0 mm
Material	20.7 mm
Max. temperature range	Plastic and nickel-plated brass
Max. working pressure	80 °C
Medium	15 bar
Min. temperature range	Compressed air, neutral and safe gases and liquids
Page No.	-20 °C
Page No. AS	HK648
Recommended hose Series	AS112
Sleeve	PU or PA (nylon)
Thread	Blue series
a/f	Plastic
	R 1/8
	12 mm

Variants

Article number	Thread	For tube O.D.	a/f	Hexagon socket head	Price
109135	R 1/8	6 mm	12 mm	4.0 mm	1,45 € / Stk
109134	R 1/8	4 mm	10 mm	3.0 mm	1,36 € / Stk
109136	R 1/8	8 mm	14 mm	5.0 mm	1,71 € / Stk
109139	R 1/4	4 mm	14 mm	3.0 mm	1,47 € / Stk
109140	R 1/4	6 mm	14 mm	4.0 mm	1,58 € / Stk
109141	R 1/4	8 mm	14 mm	5.0 mm	1,73 € / Stk
109142	R 1/4	10 mm	17 mm	6.0 mm	2,13 € / Stk
109143	R 1/4	12 mm	21 mm	6.0 mm	2,44 € / Stk
109144	R 3/8	6 mm	17 mm	4.0 mm	1,71 € / Stk
109145	R 3/8	8 mm	17 mm	6.0 mm	1,87 € / Stk
109146	R 3/8	10 mm	17 mm	8.0 mm	2,32 € / Stk
109147	R 3/8	12 mm	21 mm	8.0 mm	2,71 € / Stk
109149	R 1/2	6 mm	21 mm	4.0 mm	2,55 € / Stk
109150	R 1/2	8 mm	21 mm	6.0 mm	2,55 € / Stk
109151	R 1/2	10 mm	21 mm	8.0 mm	2,85 € / Stk
109152	R 1/2	12 mm	21 mm	8.0 mm	3,48 € / Stk
109137	R 1/8	10 mm	17 mm	5.0 mm	1,94 € / Stk
109148	R 3/8	16 mm	24 mm	8.0 mm	4,62 € / Stk
109153	R 1/2	16 mm	24 mm	10.0 mm	4,62 € / Stk
109138	R 1/8	12 mm	21 mm	5.0 mm	2,77 € / Stk
135630	R 1/2	14 mm	22 mm	10.0 mm	5,44 € / Stk
135629	R 3/8	14 mm	22 mm	8.0 mm	4,23 € / Stk

More Pictures

