

Datasheet for: 148839


Push-in T-fitting »Blue Series« mini, rotating, M3

Push-in T-fitting »Blue Series« mini, rotating, M3, for hose exterior Ø 3 mm, Working pressure max. 10 bar . Push-in fittings series manufactured in plastic and nickel-plated brass. Space-saving miniature design.

| | |
|-------------|------------|
| Type number | 131.003-3M |
|-------------|------------|

| | |
|----------------|--------|
| Article number | 148839 |
|----------------|--------|

| | |
|-------------|--|
| EAN/barcode |  4047322582766 |
|-------------|--|

| | |
|------------|--------------|
| Your price | 3,61 € / Stk |
|------------|--------------|

Minimum order quantity

| | |
|------------------------|-------|
| Price Unit | 1 |
| Quantity Unit | Stk |
| Packaging Unit | 1 |
| Content | 1 Stk |
| Minimum order quantity | 1 |

Productdata

| | |
|------------------------|---------------------------------|
| Applications | Air, vacuum |
| For tube O.D. | 3 mm |
| L1 | 22.8 mm |
| L2 | 12.8 mm |
| Material | Plastic and nickel-plated brass |
| Max. temperature range | 60 °C |
| Max. working pressure | 10 bar |
| Medium | Compressed air |
| Page No. | HK643 |
| Recommended hose | PU or PA (nylon) |
| Series | Blue series mini |
| Sleeve | Plastic |
| Standard thread | DIN 13-1, O-ring (NBR) |
| Thread | M3 |
| a/f | 5,5 mm |

Variants

| Article number | Thread | For tube O.D. | a/f | Price |
|----------------|--------|---------------|--------|--------------|
| 148839 | M3 | 3 mm | 5,5 mm | 3,61 € / Stk |
| 148842 | M5 | 4 mm | 8 mm | 3,61 € / Stk |
| 148843 | M5 | 6 mm | 8 mm | 3,61 € / Stk |
| 148849 | R 1/8 | 4 mm | 10 mm | 3,48 € / Stk |
| 148850 | R 1/8 | 6 mm | 10 mm | 3,48 € / Stk |
| 148845 | M6 | 4 mm | 9 mm | 3,61 € / Stk |
| 148844 | M6 | 3 mm | 9 mm | 3,61 € / Stk |
| 148848 | G 1/8 | 6 mm | 10 mm | 3,82 € / Stk |
| 148840 | M3 | 4 mm | 8 mm | 3,61 € / Stk |
| 148841 | M5 | 3 mm | 8 mm | 3,61 € / Stk |
| 148846 | M6 | 6 mm | 9 mm | 3,61 € / Stk |
| 148847 | G 1/8 | 4 mm | 10 mm | 3,82 € / Stk |

More Pictures

