

## Datasheet for: 101759


**Standard pressure gauge, rear centric, G 1/4, - 100 bar, Ø 63**

Standard pressure gauge, Single scale bar, Connection, rear, centric, G 1/4, Goods class 2.5, Measurement range - 100 bar, Ø63 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	222-K
Article number	101759
EAN/barcode	 4047322039857
Your price	10,10 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Accuracy class	2.5
Connection	G 1/4
Connection position	rear, central
Diameter	63 mm
Front glass	Transparent plastic
Housing	Plastic
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	100.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK198
Scale graduation in the bar area	5.0 bar
Type	111.12

## Variants

Article number	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101759	0.0	100.0	63 mm	G 1/4	10,10 € / Stk
101726	-1.0	0.0	40 mm	G 1/8	8,39 € / Stk
101727	0.0	1.6	40 mm	G 1/8	8,39 € / Stk
101728	0.0	2.5	40 mm	G 1/8	8,39 € / Stk
101729	0.0	4.0	40 mm	G 1/8	8,39 € / Stk
101730	0.0	6.0	40 mm	G 1/8	8,39 € / Stk
101731	0.0	10.0	40 mm	G 1/8	8,39 € / Stk
101732	0.0	16.0	40 mm	G 1/8	8,39 € / Stk
101733	0.0	25.0	40 mm	G 1/8	8,39 € / Stk
101734	0.0	40.0	40 mm	G 1/8	8,39 € / Stk
101735	-1.0	0.0	50 mm	G 1/4	8,57 € / Stk
101736	0.0	1.0	50 mm	G 1/4	8,57 € / Stk
101737	0.0	1.6	50 mm	G 1/4	8,57 € / Stk
101738	0.0	2.5	50 mm	G 1/4	8,57 € / Stk
101739	0.0	4.0	50 mm	G 1/4	8,57 € / Stk
101740	0.0	6.0	50 mm	G 1/4	8,57 € / Stk
101741	0.0	10.0	50 mm	G 1/4	8,57 € / Stk
101742	0.0	16.0	50 mm	G 1/4	8,57 € / Stk
101743	0.0	25.0	50 mm	G 1/4	8,57 € / Stk
101744	0.0	40.0	50 mm	G 1/4	8,57 € / Stk
101745	0.0	60.0	50 mm	G 1/4	10,10 € / Stk
101746	0.0	100.0	50 mm	G 1/4	10,10 € / Stk
101747	-1.0	0.0	63 mm	G 1/4	8,57 € / Stk
101748	0.0	0.6	63 mm	G 1/4	8,57 € / Stk
101749	0.0	1.0	63 mm	G 1/4	8,57 € / Stk
101750	0.0	1.6	63 mm	G 1/4	8,57 € / Stk
101751	0.0	2.5	63 mm	G 1/4	8,57 € / Stk
101752	0.0	4.0	63 mm	G 1/4	8,57 € / Stk
101753	0.0	6.0	63 mm	G 1/4	8,57 € / Stk
101754	0.0	10.0	63 mm	G 1/4	8,57 € / Stk
101755	0.0	16.0	63 mm	G 1/4	8,57 € / Stk

## Variants

<i>Article number</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101756	0.0	25.0	63 mm	G 1/4	8,57 € / Stk
101757	0.0	40.0	63 mm	G 1/4	8,57 € / Stk
101758	0.0	60.0	63 mm	G 1/4	10,10 € / Stk
101760	0.0	160.0	63 mm	G 1/4	10,10 € / Stk
101761	0.0	250.0	63 mm	G 1/4	10,10 € / Stk
101762	0.0	315.0	63 mm	G 1/4	10,10 € / Stk
101763	0.0	400.0	63 mm	G 1/4	10,10 € / Stk
101811	0.0	1.0	40 mm	G 1/8	9,25 € / Stk