


Datasheet for: 101762


Standard pressure gauge, rear centric, G 1/4, - 315 bar, Ø 63

Standard pressure gauge, Single scale bar, Connection, rear, centric, G 1/4, Goods class 1.6, Measurement range - 315 bar, Ø63 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	225-K
Article number	101762
EAN/barcode	 4047322040570
Your price	10,10 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.6
Connection	G 1/4
Connection position	rear, central
Diameter	63 mm
Front glass	Transparent plastic
Housing	Plastic
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	315.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK198
Scale graduation in the bar area	10.0 bar
Type	111.12

Variants

Article number	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101762	0.0	315.0	63 mm	G 1/4	10,10 € / Stk
101726	-1.0	0.0	40 mm	G 1/8	8,39 € / Stk
101727	0.0	1.6	40 mm	G 1/8	8,39 € / Stk
101728	0.0	2.5	40 mm	G 1/8	8,39 € / Stk
101729	0.0	4.0	40 mm	G 1/8	8,39 € / Stk
101730	0.0	6.0	40 mm	G 1/8	8,39 € / Stk
101731	0.0	10.0	40 mm	G 1/8	8,39 € / Stk
101732	0.0	16.0	40 mm	G 1/8	8,39 € / Stk
101733	0.0	25.0	40 mm	G 1/8	8,39 € / Stk
101734	0.0	40.0	40 mm	G 1/8	8,39 € / Stk
101735	-1.0	0.0	50 mm	G 1/4	8,57 € / Stk
101736	0.0	1.0	50 mm	G 1/4	8,57 € / Stk
101737	0.0	1.6	50 mm	G 1/4	8,57 € / Stk
101738	0.0	2.5	50 mm	G 1/4	8,57 € / Stk
101739	0.0	4.0	50 mm	G 1/4	8,57 € / Stk
101740	0.0	6.0	50 mm	G 1/4	8,57 € / Stk
101741	0.0	10.0	50 mm	G 1/4	8,57 € / Stk
101742	0.0	16.0	50 mm	G 1/4	8,57 € / Stk
101743	0.0	25.0	50 mm	G 1/4	8,57 € / Stk
101744	0.0	40.0	50 mm	G 1/4	8,57 € / Stk
101745	0.0	60.0	50 mm	G 1/4	10,10 € / Stk
101746	0.0	100.0	50 mm	G 1/4	10,10 € / Stk
101747	-1.0	0.0	63 mm	G 1/4	8,57 € / Stk
101748	0.0	0.6	63 mm	G 1/4	8,57 € / Stk
101749	0.0	1.0	63 mm	G 1/4	8,57 € / Stk
101750	0.0	1.6	63 mm	G 1/4	8,57 € / Stk
101751	0.0	2.5	63 mm	G 1/4	8,57 € / Stk
101752	0.0	4.0	63 mm	G 1/4	8,57 € / Stk
101753	0.0	6.0	63 mm	G 1/4	8,57 € / Stk
101754	0.0	10.0	63 mm	G 1/4	8,57 € / Stk
101755	0.0	16.0	63 mm	G 1/4	8,57 € / Stk

Variants

<i>Article number</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101756	0.0	25.0	63 mm	G 1/4	8,57 € / Stk
101757	0.0	40.0	63 mm	G 1/4	8,57 € / Stk
101758	0.0	60.0	63 mm	G 1/4	10,10 € / Stk
101759	0.0	100.0	63 mm	G 1/4	10,10 € / Stk
101760	0.0	160.0	63 mm	G 1/4	10,10 € / Stk
101761	0.0	250.0	63 mm	G 1/4	10,10 € / Stk
101763	0.0	400.0	63 mm	G 1/4	10,10 € / Stk
101811	0.0	1.0	40 mm	G 1/8	9,25 € / Stk