


## Datasheet for: 101688


**Standard pressure gauge, radial bottom, G 1/8, - 40 bar, Ø 40**

Standard pressure gauge, Single scale bar, Connection radial bottom, G 1/8, Goods class 1.6, Measurement range - 40 bar, Ø 40 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	110.38-K
Article number	101688
EAN/barcode	 4047322015196
Your price	8,06 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Accuracy class	1.6
Connection	G 1/8
Connection position	radial on bottom
Diameter	40 mm
Front glass	Transparent plastic
Housing	Plastic
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	40.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK197
Scale graduation in the bar area	2.0 bar
Type	111.10

## Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101688	1.6	0.0	40.0	40 mm	G 1/8	8,06 € / Stk
101680	1.6	-1.0	0.0	40 mm	G 1/8	8,06 € / Stk
101681	1.6	0.0	1.6	40 mm	G 1/8	8,06 € / Stk
101682	1.6	0.0	2.5	40 mm	G 1/8	8,06 € / Stk
101683	1.6	0.0	4.0	40 mm	G 1/8	8,06 € / Stk
101684	1.6	0.0	6.0	40 mm	G 1/8	8,06 € / Stk
101685	1.6	0.0	10.0	40 mm	G 1/8	8,06 € / Stk
101686	1.6	0.0	16.0	40 mm	G 1/8	8,06 € / Stk
101687	2.5	0.0	25.0	40 mm	G 1/8	8,06 € / Stk
101689	1.6	-1.0	0.0	50 mm	G 1/4	8,45 € / Stk
101690	1.6	0.0	1.0	50 mm	G 1/4	8,45 € / Stk
101691	1.6	0.0	1.6	50 mm	G 1/4	8,45 € / Stk
101692	1.6	0.0	2.5	50 mm	G 1/4	8,45 € / Stk
101693	1.6	0.0	4.0	50 mm	G 1/4	8,45 € / Stk
101694	1.6	0.0	6.0	50 mm	G 1/4	8,45 € / Stk
101695	1.6	0.0	10.0	50 mm	G 1/4	8,45 € / Stk
101696	1.6	0.0	16.0	50 mm	G 1/4	8,45 € / Stk
101697	1.6	0.0	25.0	50 mm	G 1/4	8,45 € / Stk
101698	1.6	0.0	40.0	50 mm	G 1/4	8,45 € / Stk
101699	1.6	0.0	60.0	50 mm	G 1/4	10,10 € / Stk
101700	1.6	0.0	100.0	50 mm	G 1/4	10,10 € / Stk
101701	2.5	0.0	160.0	50 mm	G 1/4	10,10 € / Stk
101702	2.5			63 mm	G 1/4	8,45 € / Stk
101703	1.6	-1.0	0.0	63 mm	G 1/4	8,45 € / Stk
101704	1.6	-1.0	0.6	63 mm	G 1/4	8,45 € / Stk
101705	1.6	-1.0	1.5	63 mm	G 1/4	8,45 € / Stk
101706	1.6	-1.0	3.0	63 mm	G 1/4	8,45 € / Stk
101707	2.5	-1.0	5.0	63 mm	G 1/4	8,45 € / Stk
101708	1.6	-1.0	9.0	63 mm	G 1/4	8,45 € / Stk
101709	1.6	-1.0	15.0	63 mm	G 1/4	8,45 € / Stk
101710	1.6	0.0	0.6	63 mm	G 1/4	8,45 € / Stk

## Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101711	1.6	0.0	1.0	63 mm	G 1/4	8,45 € / Stk
101712	1.6	0.0	1.6	63 mm	G 1/4	8,45 € / Stk
101713	1.6	0.0	2.5	63 mm	G 1/4	8,45 € / Stk
101714	1.6	0.0	4.0	63 mm	G 1/4	8,45 € / Stk
101715	1.6	0.0	6.0	63 mm	G 1/4	8,45 € / Stk
101716	1.6	0.0	10.0	63 mm	G 1/4	8,45 € / Stk
101717	1.6	0.0	16.0	63 mm	G 1/4	8,45 € / Stk
101718	1.6	0.0	25.0	63 mm	G 1/4	8,45 € / Stk
101719	1.6	0.0	40.0	63 mm	G 1/4	8,45 € / Stk
101720	1.6	0.0	60.0	63 mm	G 1/4	10,10 € / Stk
101721	1.6	0.0	100.0	63 mm	G 1/4	10,10 € / Stk
101722	1.6	0.0	160.0	63 mm	G 1/4	10,10 € / Stk
101723	1.6	0.0	250.0	63 mm	G 1/4	10,10 € / Stk
101724	1.6	0.0	315.0	63 mm	G 1/4	10,10 € / Stk
101725	1.6	0.0	400.0	63 mm	G 1/4	10,10 € / Stk