

Datasheet for: 101669


Standard pressure gauge, radial bottom, G 1/4, - 25 bar/360 psi

Standard pressure gauge, Double scale, Connection radial bottom, G 1/4, Goods class 1.6, Measurement range 0-25 bar/360 psi, Ø 63 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	119-KD
Article number	101669
EAN/barcode	 4047322021333
Your price	8,45 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.6
Connection	G 1/4
Connection position	radial on bottom
Diameter	63 mm
Front glass	Transparent plastic
Housing	Plastic
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	25.0
Measuring range max. psi	360.0
Measuring range min. bar	0.0
Measuring range min. psi	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK196
Page No. TS	TS004

Scale graduation in the bar area
 Type

1.0 bar
 111.10

Variants

Article number	Accuracy class	Measuring range max. bar	Measuring range max. psi	Diameter	Connection	Price
101669	1.6	25.0	360.0	63 mm	G 1/4	8,45 € / Stk
101652	1.6	2.5	36.0	40 mm	G 1/8	8,06 € / Stk
101653	1.6	4.0	58.0	40 mm	G 1/8	8,06 € / Stk
101654	1.6	6.0	86.0	40 mm	G 1/8	8,06 € / Stk
101655	1.6	10.0	145.0	40 mm	G 1/8	8,06 € / Stk
101656	1.6	16.0	230.0	40 mm	G 1/8	8,06 € / Stk
101657	1.6	25.0	360.0	40 mm	G 1/8	8,06 € / Stk
101658	1.6	2.5	36.0	50 mm	G 1/4	8,45 € / Stk
101659	1.6	4.0	58.0	50 mm	G 1/4	8,45 € / Stk
101660	1.6	6.0	86.0	50 mm	G 1/4	8,45 € / Stk
101661	1.6	10.0	145.0	50 mm	G 1/4	8,45 € / Stk
101662	1.6	16.0	230.0	50 mm	G 1/4	8,45 € / Stk
101663	2.5	25.0	360.0	50 mm	G 1/4	8,45 € / Stk
101664	1.6	2.5	36.0	63 mm	G 1/4	8,45 € / Stk
101665	1.6	4.0	58.0	63 mm	G 1/4	8,45 € / Stk
101666	1.6	6.0	86.0	63 mm	G 1/4	8,45 € / Stk
101667	1.6	10.0	145.0	63 mm	G 1/4	8,45 € / Stk
101668	1.6	16.0	230.0	63 mm	G 1/4	8,45 € / Stk