


Datasheet for: 101765


Standard pressure gauge, radial bottom, G 1/8, - 1.6 bar, Ø 40

Standard pressure gauge, Single scale bar, Connection radial bottom, G 1/8, Goods class 1.6, Measurement range - 1.6 bar, Ø 40 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	110.31
Article number	101765
EAN/barcode	 4047322014960
Your price	8,93 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.6
Connection	G 1/8
Connection position	radial on bottom
Diameter	40 mm
Front glass	Transparent plastic
Housing	Sheet steel
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	1.6
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK199
Scale graduation in the bar area	0.05 bar
Type	111.10

Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101765	1.6	0.0	1.6	40 mm	G 1/8	8,93 € / Stk
101764	1.6	-1.0	0.0	40 mm	G 1/8	8,93 € / Stk
101766	1.6	0.0	2.5	40 mm	G 1/8	8,93 € / Stk
101767	1.6	0.0	4.0	40 mm	G 1/8	8,93 € / Stk
101768	1.6	0.0	6.0	40 mm	G 1/8	8,93 € / Stk
101769	1.6	0.0	10.0	40 mm	G 1/8	8,93 € / Stk
101770	1.6	0.0	16.0	40 mm	G 1/8	8,93 € / Stk
101771	1.6	0.0	25.0	40 mm	G 1/8	8,93 € / Stk
101772	1.6	0.0	40.0	40 mm	G 1/8	8,93 € / Stk
101773	1.6	-1.0	0.0	50 mm	G 1/4	9,43 € / Stk
101774	1.6	0.0	1.0	50 mm	G 1/4	9,43 € / Stk
101775	1.6	0.0	1.6	50 mm	G 1/4	9,43 € / Stk
101776	1.6	0.0	2.5	50 mm	G 1/4	9,43 € / Stk
101777	1.6	0.0	4.0	50 mm	G 1/4	9,43 € / Stk
101778	2.5	0.0	6.0	50 mm	G 1/4	9,43 € / Stk
101408	1.6	0.0	10.0	50 mm	G 1/4	9,43 € / Stk
101779	1.6	0.0	16.0	50 mm	G 1/4	9,43 € / Stk
101780	1.6	0.0	25.0	50 mm	G 1/4	9,43 € / Stk
101781	1.6	0.0	40.0	50 mm	G 1/4	9,43 € / Stk
101782	1.6	0.0	60.0	50 mm	G 1/4	10,99 € / Stk
101783	1.6	0.0	100.0	50 mm	G 1/4	10,99 € / Stk
101784	1.6	0.0	160.0	50 mm	G 1/4	10,99 € / Stk
101785	2.5			63 mm	G 1/4	8,93 € / Stk
101786	1.6	-1.0	0.0	63 mm	G 1/4	8,93 € / Stk
101787	1.6	-1.0	0.6	63 mm	G 1/4	8,93 € / Stk
101788	1.6	-1.0	1.5	63 mm	G 1/4	8,93 € / Stk
101789	1.6	-1.0	3.0	63 mm	G 1/4	8,93 € / Stk
101790	1.6	-1.0	5.0	63 mm	G 1/4	8,93 € / Stk
101791	1.6	-1.0	9.0	63 mm	G 1/4	8,93 € / Stk
101792	1.6	-1.0	15.0	63 mm	G 1/4	8,93 € / Stk
101793	1.6	0.0	0.6	63 mm	G 1/4	9,43 € / Stk

Variants

<i>Article number</i>	<i>Accuracy class</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101794	1.6	0.0	1.0	63 mm	G 1/4	9,43 € / Stk
101795	1.6	0.0	1.6	63 mm	G 1/4	9,43 € / Stk
101796	1.6	0.0	2.5	63 mm	G 1/4	9,43 € / Stk
101797	1.6	0.0	4.0	63 mm	G 1/4	9,43 € / Stk
101798	1.6	0.0	6.0	63 mm	G 1/4	9,43 € / Stk
101799	1.6	0.0	10.0	63 mm	G 1/4	9,43 € / Stk
101800	1.6	0.0	16.0	63 mm	G 1/4	9,43 € / Stk
101801	1.6	0.0	25.0	63 mm	G 1/4	9,43 € / Stk
101802	1.6	0.0	40.0	63 mm	G 1/4	9,43 € / Stk
101803	1.6	0.0	60.0	63 mm	G 1/4	10,99 € / Stk
101804	1.6	0.0	100.0	63 mm	G 1/4	10,99 € / Stk
101805	2.5	0.0	160.0	63 mm	G 1/4	10,99 € / Stk
101806	1.6	0.0	250.0	63 mm	G 1/4	10,99 € / Stk
101807	1.6	0.0	315.0	63 mm	G 1/4	10,99 € / Stk
101808	1.6	0.0	400.0	63 mm	G 1/4	10,99 € / Stk
101809	1.6	0.0	600.0	63 mm	G 1/4	10,99 € / Stk