

## Datasheet for: 101771


**Standard pressure gauge, radial bottom, G 1/8, - 25 bar, Ø 40**

Standard pressure gauge, Single scale bar, Connection radial bottom, G 1/8, Goods class 1.6, Measurement range - 25 bar, Ø 40 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	110.37
-------------	--------

Article number	101771
----------------	--------

EAN/barcode	 4047322015141
-------------	--

Your price	8,93 € / Stk
------------	--------------

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Accuracy class	1.6
Connection	G 1/8
Connection position	radial on bottom
Diameter	40 mm
Front glass	Transparent plastic
Housing	Sheet steel
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	25.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK199
Scale graduation in the bar area	1.0 bar
Type	111.10

## Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101771	1.6	0.0	25.0	40 mm	G 1/8	8,93 € / Stk
101764	1.6	-1.0	0.0	40 mm	G 1/8	8,93 € / Stk
101765	1.6	0.0	1.6	40 mm	G 1/8	8,93 € / Stk
101766	1.6	0.0	2.5	40 mm	G 1/8	8,93 € / Stk
101767	1.6	0.0	4.0	40 mm	G 1/8	8,93 € / Stk
101768	1.6	0.0	6.0	40 mm	G 1/8	8,93 € / Stk
101769	1.6	0.0	10.0	40 mm	G 1/8	8,93 € / Stk
101770	1.6	0.0	16.0	40 mm	G 1/8	8,93 € / Stk
101772	1.6	0.0	40.0	40 mm	G 1/8	8,93 € / Stk
101773	1.6	-1.0	0.0	50 mm	G 1/4	9,43 € / Stk
101774	1.6	0.0	1.0	50 mm	G 1/4	9,43 € / Stk
101775	1.6	0.0	1.6	50 mm	G 1/4	9,43 € / Stk
101776	1.6	0.0	2.5	50 mm	G 1/4	9,43 € / Stk
101777	1.6	0.0	4.0	50 mm	G 1/4	9,43 € / Stk
101778	2.5	0.0	6.0	50 mm	G 1/4	9,43 € / Stk
101408	1.6	0.0	10.0	50 mm	G 1/4	9,43 € / Stk
101779	1.6	0.0	16.0	50 mm	G 1/4	9,43 € / Stk
101780	1.6	0.0	25.0	50 mm	G 1/4	9,43 € / Stk
101781	1.6	0.0	40.0	50 mm	G 1/4	9,43 € / Stk
101782	1.6	0.0	60.0	50 mm	G 1/4	10,99 € / Stk
101783	1.6	0.0	100.0	50 mm	G 1/4	10,99 € / Stk
101784	1.6	0.0	160.0	50 mm	G 1/4	10,99 € / Stk
101785	2.5			63 mm	G 1/4	8,93 € / Stk
101786	1.6	-1.0	0.0	63 mm	G 1/4	8,93 € / Stk
101787	1.6	-1.0	0.6	63 mm	G 1/4	8,93 € / Stk
101788	1.6	-1.0	1.5	63 mm	G 1/4	8,93 € / Stk
101789	1.6	-1.0	3.0	63 mm	G 1/4	8,93 € / Stk
101790	1.6	-1.0	5.0	63 mm	G 1/4	8,93 € / Stk
101791	1.6	-1.0	9.0	63 mm	G 1/4	8,93 € / Stk
101792	1.6	-1.0	15.0	63 mm	G 1/4	8,93 € / Stk
101793	1.6	0.0	0.6	63 mm	G 1/4	9,43 € / Stk

## Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101794	1.6	0.0	1.0	63 mm	G 1/4	9,43 € / Stk
101795	1.6	0.0	1.6	63 mm	G 1/4	9,43 € / Stk
101796	1.6	0.0	2.5	63 mm	G 1/4	9,43 € / Stk
101797	1.6	0.0	4.0	63 mm	G 1/4	9,43 € / Stk
101798	1.6	0.0	6.0	63 mm	G 1/4	9,43 € / Stk
101799	1.6	0.0	10.0	63 mm	G 1/4	9,43 € / Stk
101800	1.6	0.0	16.0	63 mm	G 1/4	9,43 € / Stk
101801	1.6	0.0	25.0	63 mm	G 1/4	9,43 € / Stk
101802	1.6	0.0	40.0	63 mm	G 1/4	9,43 € / Stk
101803	1.6	0.0	60.0	63 mm	G 1/4	10,99 € / Stk
101804	1.6	0.0	100.0	63 mm	G 1/4	10,99 € / Stk
101805	2.5	0.0	160.0	63 mm	G 1/4	10,99 € / Stk
101806	1.6	0.0	250.0	63 mm	G 1/4	10,99 € / Stk
101807	1.6	0.0	315.0	63 mm	G 1/4	10,99 € / Stk
101808	1.6	0.0	400.0	63 mm	G 1/4	10,99 € / Stk
101809	1.6	0.0	600.0	63 mm	G 1/4	10,99 € / Stk