


Datasheet for: 101890


Standard pressure gauge, front ring, G 1/4, 0-1 bar, Ø 50

Standard pressure gauge with front ring, black, Connection, rear, centric, G 1/4, Goods class 1.6, Measurement range 0-1 bar, Ø 50 . Bourdon-tube pressure gauge in standard design, either with panel-mounting bezel made of chrome-plated or black sheet steel or with 3-hole bezel made of chrome-plated sheet steel. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	320/50
Article number	101890
EAN/barcode	 4047322073042
Your price	16,08 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.6
Connection	G 1/4
Connection position	rear, central
Diameter	50 mm
Front glass	Transparent plastic
Housing	Sheet steel
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	1.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK201
Scale graduation in the bar area	0.05 bar
Type	111.12

Variants

Article number	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
101890	0.0	1.0	50 mm	G 1/4	16,08 € / Stk
101879	-1.0	0.0	40 mm	G 1/8	14,79 € / Stk
101880	0.0	1.0	40 mm	G 1/8	14,79 € / Stk
101881	0.0	1.6	40 mm	G 1/8	14,79 € / Stk
101882	0.0	2.5	40 mm	G 1/8	14,79 € / Stk
101883	0.0	4.0	40 mm	G 1/8	14,79 € / Stk
101884	0.0	6.0	40 mm	G 1/8	14,79 € / Stk
101885	0.0	10.0	40 mm	G 1/8	14,79 € / Stk
101886	0.0	16.0	40 mm	G 1/8	14,79 € / Stk
101887	0.0	25.0	40 mm	G 1/8	14,79 € / Stk
101888	0.0	40.0	40 mm	G 1/8	14,79 € / Stk
101889	-1.0	0.0	50 mm	G 1/4	16,08 € / Stk
101891	0.0	1.6	50 mm	G 1/4	16,08 € / Stk
101892	0.0	2.5	50 mm	G 1/4	16,08 € / Stk
101893	0.0	4.0	50 mm	G 1/4	16,08 € / Stk
101894	0.0	6.0	50 mm	G 1/4	16,08 € / Stk
101895	0.0	10.0	50 mm	G 1/4	16,08 € / Stk
101896	0.0	16.0	50 mm	G 1/4	16,08 € / Stk
101897	0.0	25.0	50 mm	G 1/4	16,08 € / Stk
101898	0.0	40.0	50 mm	G 1/4	16,08 € / Stk
101899	0.0	60.0	50 mm	G 1/4	16,08 € / Stk
101900	-1.0	0.0	63 mm	G 1/4	16,08 € / Stk
101901	0.0	1.0	63 mm	G 1/4	16,08 € / Stk
101902	0.0	1.6	63 mm	G 1/4	16,08 € / Stk
101903	0.0	2.5	63 mm	G 1/4	16,08 € / Stk
101904	0.0	4.0	63 mm	G 1/4	16,08 € / Stk
101905	0.0	6.0	63 mm	G 1/4	16,08 € / Stk
101906	0.0	10.0	63 mm	G 1/4	16,08 € / Stk
101907	0.0	16.0	63 mm	G 1/4	16,08 € / Stk
101908	0.0	25.0	63 mm	G 1/4	16,08 € / Stk
101909	0.0	40.0	63 mm	G 1/4	16,08 € / Stk

Variants

<i>Article number</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101910	0.0	60.0	63 mm	G 1/4	16,08 € / Stk