


Datasheet for: 100678


Filter »variobloc« with PC container, Size 1, G 1/4

Filter »variobloc«, PC container, Size 1, G 1/4, Input pressure max. 16 bar, Med. / ambient temp. max. 50 °C, Manual bleeder valve . Centrifugal separators with a sintered filter element. Filtration takes place in a 2-stage process comprising cyclone separation (condensate) and a PE filter element (particles). Approved series in modern industrial design, with the following key benefits: - Simple handling - Convenient modular assembly thanks to innovative fasteners - Excellent flow values

Type number	VF 22
Article number	100678
EAN/barcode	 4047322168496
Your price	32,88 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

A	48.0 mm
B	155.0 mm
Bowl	Polycarbonate container
C	22.0 mm
Condensate drain	Manual
Filter rating	40.0 μm
Flow rate	1800 l/min
Flow rate measurement	At $P_1 = 6$ bar and pressure drop $\Delta_p = 1$ bar
Housing	Die-cast zinc
Max. ambient temperature	50 °C
Max. input pressure	16 bar
Max. medium temperature	50 °C
Page No.	HK105
Sealant	NBR
Series	variobloc
Size	1
Thread	G 1/4

Variants

Article number	Thread	Flow rate	Size	Price
100678	G 1/4	1800 l/min	1	32,88 € / Stk
100679	G 3/8	2000 l/min	1	32,88 € / Stk
100680	G 1/2	3200 l/min	2	52,60 € / Stk
100681	G 3/4	3500 l/min	2	52,60 € / Stk
100682	G 1	3500 l/min	2	87,48 € / Stk

More Pictures

