


## Datasheet for: 101906


**Standard pressure gauge, front ring, G 1/4, 0-10 bar, Ø 63**

Standard pressure gauge with front ring, black, Connection, rear, centric, G 1/4, Goods class 1.6, Measurement range 0-10 bar, Ø63 . Bourdon-tube pressure gauge in standard design, either with panel-mounting bezel made of chrome-plated or black sheet steel or with 3-hole bezel made of chrome-plated sheet steel. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	325/63
Article number	101906
EAN/barcode	 4047322073240
Your price	16,08 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Accuracy class	1.6
Connection	G 1/4
Connection position	rear, central
Diameter	63 mm
Front glass	Transparent plastic
Housing	Sheet steel
Lower / Upper range limit	Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	10.0
Measuring range min. bar	0.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK202
Scale graduation in the bar area	0.5 bar

Type

111.12

**Variants**

<i>Article number</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101906	0.0	10.0	63 mm	G 1/4	16,08 € / Stk
101879	-1.0	0.0	40 mm	G 1/8	14,79 € / Stk
101880	0.0	1.0	40 mm	G 1/8	14,79 € / Stk
101881	0.0	1.6	40 mm	G 1/8	14,79 € / Stk
101882	0.0	2.5	40 mm	G 1/8	14,79 € / Stk
101883	0.0	4.0	40 mm	G 1/8	14,79 € / Stk
101884	0.0	6.0	40 mm	G 1/8	14,79 € / Stk
101885	0.0	10.0	40 mm	G 1/8	14,79 € / Stk
101886	0.0	16.0	40 mm	G 1/8	14,79 € / Stk
101887	0.0	25.0	40 mm	G 1/8	14,79 € / Stk
101888	0.0	40.0	40 mm	G 1/8	14,79 € / Stk
101889	-1.0	0.0	50 mm	G 1/4	16,08 € / Stk
101890	0.0	1.0	50 mm	G 1/4	16,08 € / Stk
101891	0.0	1.6	50 mm	G 1/4	16,08 € / Stk
101892	0.0	2.5	50 mm	G 1/4	16,08 € / Stk
101893	0.0	4.0	50 mm	G 1/4	16,08 € / Stk
101894	0.0	6.0	50 mm	G 1/4	16,08 € / Stk
101895	0.0	10.0	50 mm	G 1/4	16,08 € / Stk
101896	0.0	16.0	50 mm	G 1/4	16,08 € / Stk
101897	0.0	25.0	50 mm	G 1/4	16,08 € / Stk
101898	0.0	40.0	50 mm	G 1/4	16,08 € / Stk
101899	0.0	60.0	50 mm	G 1/4	16,08 € / Stk
101900	-1.0	0.0	63 mm	G 1/4	16,08 € / Stk
101901	0.0	1.0	63 mm	G 1/4	16,08 € / Stk
101902	0.0	1.6	63 mm	G 1/4	16,08 € / Stk
101903	0.0	2.5	63 mm	G 1/4	16,08 € / Stk
101904	0.0	4.0	63 mm	G 1/4	16,08 € / Stk
101905	0.0	6.0	63 mm	G 1/4	16,08 € / Stk
101907	0.0	16.0	63 mm	G 1/4	16,08 € / Stk
101908	0.0	25.0	63 mm	G 1/4	16,08 € / Stk

## Variants

<i>Article number</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
101909	0.0	40.0	63 mm	G 1/4	16,08 € / Stk
101910	0.0	60.0	63 mm	G 1/4	16,08 € / Stk