


Datasheet for: 101985


Standard pressure gauge, radial bottom, G 1/2, -1 / +5 bar, Ø 160

Standard pressure gauge, Single scale bar, Connection radial bottom, G 1/2, Goods class 1.6, Measurement range -1 / +5 bar, Ø 160 . Bourdon-tube pressure gauge in standard design. Suitable for gaseous or liquid media which do not corrode copper alloy, do not have high viscosity and do not crystallise.

Type number	8305
Article number	101985
EAN/barcode	 4047322120968
Your price	41,82 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.6
Connection	G 1/2
Connection position	radial on bottom
Diameter	160 mm
Front glass	Flat instrument glass
Housing	Sheet steel
Lower / Upper range limit	Vacuum/Positive pressure
Max. ambient temperature	60 °C
Max. medium temperature	60 °C
Measuring element	Copper alloy
Measuring range max. bar	5.0
Measuring range min. bar	-1.0
Min. ambient temperature	-20 °C
Movement	Copper alloy
Page No.	HK204
Reference pointer	-
Scale graduation in the bar area	0.1 bar
Type	111.10

Variants

Article number	Accuracy class	Housing	Measuring range min. bar	Measuring range max. bar	Diameter	Price
101985	1.6	Sheet steel	-1.0	5.0	160 mm	41,82 € / Stk
101944	1.6	Plastic	-1.0	0.0	80 mm	17,36 € / Stk
101945	1.6	Plastic	-1.0	1.5	80 mm	17,36 € / Stk
101946	1.6	Plastic	-1.0	3.0	80 mm	17,36 € / Stk
101947	1.6	Plastic	-1.0	5.0	80 mm	17,36 € / Stk
101948	1.6	Plastic	-1.0	9.0	80 mm	17,36 € / Stk
101949	1.6	Plastic	-1.0	15.0	80 mm	17,36 € / Stk
101950	2.5	Plastic	0.0	0.6	80 mm	17,36 € / Stk
101951	1.6	Plastic	0.0	1.0	80 mm	17,36 € / Stk
101952	1.6	Plastic	0.0	1.6	80 mm	17,36 € / Stk
101953	2.5	Plastic	0.0	2.5	80 mm	17,36 € / Stk
101954	1.6	Plastic	0.0	4.0	80 mm	17,36 € / Stk
101955	1.6	Plastic	0.0	6.0	80 mm	17,36 € / Stk
101956	1.6	Plastic	0.0	10.0	80 mm	17,36 € / Stk
101957	1.6	Plastic	0.0	16.0	80 mm	17,36 € / Stk
101958	1.6	Plastic	0.0	25.0	80 mm	17,36 € / Stk
101959	1.6	Plastic	0.0	40.0	80 mm	17,36 € / Stk
101960	1.6	Plastic	0.0	60.0	80 mm	17,36 € / Stk
101961	2.5	Plastic			100 mm	17,36 € / Stk
101962	1.6	Plastic	-1.0	0.0	100 mm	17,36 € / Stk
101963	2.5	Plastic	-1.0	0.6	100 mm	17,36 € / Stk
101964	1.6	Plastic	-1.0	1.5	100 mm	17,36 € / Stk
101965	1.6	Plastic	-1.0	3.0	100 mm	17,36 € / Stk
101966	1.6	Plastic	-1.0	5.0	100 mm	17,36 € / Stk
101967	1.6	Plastic	-1.0	9.0	100 mm	17,36 € / Stk
101968	1.6	Plastic	0.0	0.6	100 mm	17,36 € / Stk
101969	1.6	Plastic	0.0	1.0	100 mm	17,36 € / Stk
101970	1.6	Plastic	0.0	1.6	100 mm	17,36 € / Stk
101971	1.6	Plastic	0.0	2.5	100 mm	17,36 € / Stk
101972	1.6	Plastic	0.0	4.0	100 mm	17,36 € / Stk
101973	1.6	Plastic	0.0	6.0	100 mm	17,36 € / Stk

Variants

Article number	Accuracy class	Housing	Measuring range min. bar	Measuring range max. bar	Diameter	Price
101974	1.6	Plastic	0.0	10.0	100 mm	17,36 € / Stk
101975	1.6	Plastic	0.0	16.0	100 mm	17,36 € / Stk
101976	1.6	Plastic	0.0	25.0	100 mm	17,36 € / Stk
101977	2.5	Plastic	0.0	40.0	100 mm	17,36 € / Stk
101981	1.6	Sheet steel			160 mm	41,82 € / Stk
101982	1.6	Sheet steel	-1.0	0.0	160 mm	41,82 € / Stk
101983	1.6	Sheet steel	-1.0	1.5	160 mm	41,82 € / Stk
101984	1.6	Sheet steel	-1.0	3.0	160 mm	41,82 € / Stk
101986	1.6	Sheet steel	-1.0	9.0	160 mm	41,82 € / Stk
101987	1.6	Sheet steel	0.0	0.6	160 mm	41,82 € / Stk
101988	1.6	Sheet steel	0.0	1.0	160 mm	41,82 € / Stk
101989	1.6	Sheet steel	0.0	1.6	160 mm	41,82 € / Stk
101990	1.6	Sheet steel	0.0	2.5	160 mm	41,82 € / Stk
101991	1.6	Sheet steel	0.0	4.0	160 mm	41,82 € / Stk
101992	1.6	Sheet steel	0.0	6.0	160 mm	41,82 € / Stk
101993	1.6	Sheet steel	0.0	10.0	160 mm	41,82 € / Stk
101994	1.6	Sheet steel	0.0	16.0	160 mm	41,82 € / Stk
101995	1.6	Sheet steel	0.0	25.0	160 mm	41,82 € / Stk
101996	1.6	Sheet steel	0.0	40.0	160 mm	41,82 € / Stk
101980	1.6	Plastic	0.0	160.0	100 mm	19,70 € / Stk
101979	1.6	Plastic	0.0	100.0	100 mm	19,70 € / Stk
101978	1.6	Plastic	0.0	60.0	100 mm	19,70 € / Stk