



Datasheet for: 125708


Double threaded nipple, R 1 1/2 o., R 1 1/2 o., Stainless steel

Double threaded nipple, R 1 1/2 o., R 1 1/2 o., Stainless steel 1.4571, Max. working pressure 60 bar, Max. operating temp. 150 °C.

Type number	252.407-ES
Article number	125708
EAN/barcode	 4047322417358
Your price	40,74 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

L1	48.0 mm
L2	20.0 mm
L3	20.0 mm
Material	Stainless steel 1.4571
Max. operating temperature	150 °C
Max. working pressure	60 bar
Page No.	HK790
Thread 1	R 1 1/2
Thread 2	R 1 1/2
a/f	50 mm

Variants

Article number	Thread 1	Thread 2	a/f	Price
125708	R 1 1/2	R 1 1/2	50 mm	40,74 € / Stk
111694	R 1/4	R 1/4	14 mm	8,06 € / Stk
111697	R 3/8	R 3/8	22 mm	16,72 € / Stk
111700	R 1/2	R 1/2	27 mm	15,46 € / Stk

Variants

Article number	Thread 1	Thread 2	a/f	Price
111703	R 3/4	R 3/4	32 mm	24,47 € / Stk
111707	R 1	R 1	41 mm	28,25 € / Stk
125694	R 1/4	R 1/2	22 mm	13,07 € / Stk
125698	R 1/2	R 1	36 mm	21,95 € / Stk
125697	R 1/2	R 3/4	28 mm	23,24 € / Stk
125695	R 3/8	R 1/2	22 mm	13,07 € / Stk
125699	R 3/4	R 1	36 mm	22,84 € / Stk
125701	R 3/4	R 1 1/2	50 mm	39,41 € / Stk
125713	R 2 1/2	R 2 1/2	78 mm	146,88 € / Stk
125696	R 3/8	R 1	36 mm	21,63 € / Stk
125704	R 1	R 2	62 mm	80,82 € / Stk
125693	R 1/4	R 3/8	17 mm	9,40 € / Stk
125690	R 1/8	R 1/8	10 mm	5,32 € / Stk
125712	R 2	R 3	90 mm	198,99 € / Stk
125700	R 3/4	R 1 1/4	42 mm	35,91 € / Stk
125715	R 3	R 3	90 mm	207,76 € / Stk
125710	R 2	R 2	60 mm	70,35 € / Stk
125706	R 1 1/4	R 1 1/2	50 mm	42,41 € / Stk
125691	R 1/8	R 1/4	14 mm	7,56 € / Stk
125705	R 1 1/4	R 1 1/4	42 mm	38,82 € / Stk
125692	R 1/8	R 3/8	17 mm	9,49 € / Stk
125711	R 2	R 2 1/2	78 mm	141,35 € / Stk
125707	R 1 1/4	R 2	62 mm	83,73 € / Stk
125703	R 1	R 1 1/2	50 mm	43,17 € / Stk
125714	R 2 1/2	R 3	90 mm	201,18 € / Stk
125709	R 1 1/2	R 2	60 mm	70,35 € / Stk
125702	R 1	R 1 1/4	42 mm	37,70 € / Stk

More Pictures

