


Datasheet for: 101502


Inline pressure regulator for water / air, G 1/4, pre-set 1 bar

Inline pressure regulator for water / compressed air applications, without venting, G 1/4, AF 17, Working pressure (pre-set) 1 bar . This regulator is designed as a single-acting diaphragm regulator for installation in any pipe system. It supplies a precise output value regardless of the input pressure. Since the pressure is preset in the factory and cannot be altered, the product is also tamper-proof. The regulator protects all downstream devices and components in the pipeline by maintaining a required constant pressure and preventing system pressure fluctuations. In combination with a nozzle, it is ideally suited for cooling or cleaning with water spray or mist.

Type number	639.01
Article number	101502
EAN/barcode	 4047322247313
Your price	43,55 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

A	34.0 mm
B	52.0 mm
Flow rate (air)	400 l/min
Flow rate (water)	10 l/min
Flow rate measurement	At $P_1 = 10$ bar and pressure drop $\Delta_p = 0.8$ bar (air)
Housing	Nickel-plated brass
Internal parts	Brass
Max. temperature range	60 °C
Operating pressure	max. 10 bar (water) / 18 bar (compressed air)
Page No.	HK176
Page No. SF	SF032
Sealant	NBR
Series	inline
Thread	G 1/4
Working pressure (preset)	1.0 bar
a/f	17 mm

Variants

<i>Article number</i>	<i>Working pressure (preset)</i>	<i>Price</i>
101502	1.0 bar	43,55 € / Stk
101503	2.0 bar	43,55 € / Stk
101504	3.0 bar	43,55 € / Stk
101505	4.0 bar	43,55 € / Stk
150637	8.0 bar	43,55 € / Stk
150636	7.0 bar	43,55 € / Stk
150635	6.0 bar	43,55 € / Stk
150634	5.0 bar	43,55 € / Stk

More Pictures

