


Datasheet for: 155895


Comp.cyl., single-act., retr., P-Ø 63, Stroke 25, G1/8,ISO21287

Compact cyl.ISO 21287, single-acting, male piston rod,retr.,magnet,PistonØ63,Stroke25,G1/8,Work.press.max.10bar,Temp.-20°C to 70°C . Series acc. to ISO 21287 characterised by a very short and compact design. The standard type features a magnetic piston. Piston rod optionally with male or female thread. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	15.EMA.63025
Article number	155895
EAN/barcode	 4047322622738
Your price	67,22 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Connection	G 1/8
Jacket	Anodised aluminium jacket with T-slots
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Page No.	HK416
Piston	Aluminium
Piston rod	S45C steel, hard chrome-plated
Piston rod ET	M12x1.25
Piston Ø	63 mm
Sealant	NBR
Stroke	25 mm

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod ET	Price
155895	63 mm	25 mm	G 1/8	M12x1.25	67,22 € / Stk
155868	20 mm	15 mm	M5	M8x1.25	30,93 € / Stk
155862	16 mm	10 mm	M5	M6x1.0	28,54 € / Stk
155871	25 mm	5 mm	M5	M8x1.25	33,17 € / Stk
155897	80 mm	10 mm	G 1/8	M16x1.5	96,44 € / Stk
155875	25 mm	25 mm	M5	M8x1.25	35,57 € / Stk
155901	100 mm	5 mm	G 1/8	M16x1.5	120,50 € / Stk
155874	25 mm	20 mm	M5	M8x1.25	35,15 € / Stk
155873	25 mm	15 mm	M5	M8x1.25	34,31 € / Stk
155863	16 mm	15 mm	M5	M6x1.0	29,26 € / Stk
155879	32 mm	20 mm	G 1/8	M10x1.25	38,23 € / Stk
155904	100 mm	20 mm	G 1/8	M16x1.5	125,13 € / Stk
155872	25 mm	10 mm	M5	M8x1.25	33,59 € / Stk
155867	20 mm	10 mm	M5	M8x1.25	30,25 € / Stk
155898	80 mm	15 mm	G 1/8	M16x1.5	97,58 € / Stk
155892	63 mm	10 mm	G 1/8	M12x1.25	64,41 € / Stk
155878	32 mm	15 mm	G 1/8	M10x1.25	37,39 € / Stk
155883	40 mm	15 mm	G 1/8	M10x1.25	43,59 € / Stk
155864	16 mm	20 mm	M5	M6x1.0	29,53 € / Stk
155876	32 mm	5 mm	G 1/8	M10x1.25	36,29 € / Stk
155886	50 mm	5 mm	G 1/8	M12x1.25	49,78 € / Stk
155861	16 mm	5 mm	M5	M6x1.0	28,39 € / Stk
155891	63 mm	5 mm	G 1/8	M12x1.25	63,27 € / Stk
155894	63 mm	20 mm	G 1/8	M12x1.25	66,08 € / Stk
155903	100 mm	15 mm	G 1/8	M16x1.5	123,58 € / Stk
155865	16 mm	25 mm	M5	M6x1.0	29,94 € / Stk
155893	63 mm	15 mm	G 1/8	M12x1.25	65,25 € / Stk
155902	100 mm	10 mm	G 1/8	M16x1.5	122,06 € / Stk
155890	50 mm	25 mm	G 1/8	M12x1.25	53,01 € / Stk
155870	20 mm	25 mm	M5	M8x1.25	32,07 € / Stk
155859	12 mm	5 mm	M5	M5x0.8	28,27 € / Stk
155900	80 mm	25 mm	G 1/8	M16x1.5	99,98 € / Stk
155885	40 mm	25 mm	G 1/8	M10x1.25	44,99 € / Stk
155884	40 mm	20 mm	G 1/8	M10x1.25	44,42 € / Stk

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod ET	Price
155899	80 mm	20 mm	G 1/8	M16x1.5	98,84 € / Stk
155866	20 mm	5 mm	M5	M8x1.25	29,94 € / Stk
155905	100 mm	25 mm	G 1/8	M16x1.5	126,69 € / Stk
155887	50 mm	10 mm	G 1/8	M12x1.25	50,35 € / Stk
155877	32 mm	10 mm	G 1/8	M10x1.25	36,71 € / Stk
155896	80 mm	5 mm	G 1/8	M16x1.5	95,34 € / Stk
155882	40 mm	10 mm	G 1/8	M10x1.25	43,02 € / Stk
155860	12 mm	10 mm	M5	M5x0.8	28,39 € / Stk
155869	20 mm	20 mm	M5	M8x1.25	31,08 € / Stk
155889	50 mm	20 mm	G 1/8	M12x1.25	52,02 € / Stk
155880	32 mm	25 mm	G 1/8	M10x1.25	38,80 € / Stk
155881	40 mm	5 mm	G 1/8	M10x1.25	42,45 € / Stk
155888	50 mm	15 mm	G 1/8	M12x1.25	51,45 € / Stk

More Pictures

