

## Datasheet for: 106671


**Input plate for valve terminal HDM external control air, Multipol**

Input plate for valve terminal HDM, with external control air, Two-supply circuit, Multipol, Working pressure vacuum up to 10 bar . These compact valve terminals, with a maximum flow rate of 800 NI/min, can be individually adapted to the specific conditions of each application thanks to the wide range of functions and various input and intermediate plates. Since each valve terminal is a customer-specific combination of a series of individual elements, the catalogue only lists the available input, intermediate and end plates as well as the different valve discs and the 25-pin multi-pole connectors. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous. Monostable (non-latching) version of manual control also available on request. The operating pressure is based on the installed input plates.

Type number	2-8
Article number	106671
EAN/barcode	 4047322286510
Your price	79,98 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Connection	Multi-pole
Function	External pilots, dual supply - max. vacuum 10 bar
Manual control	latching
Max. operating pressure	10 bar
Max. temperature range	60 °C
Min. operating pressure	-1 bar
Min. temperature range	-10 °C
Page No.	HK483
Piloting	Max. 16 (e.g. 16 spring return valves)
Power input	0.6 W per pilot
Protection IP	IP 65

## Variants

<i>Article number</i>	<i>Function</i>	<i>Connection</i>	<i>Min. operating pressure</i>	<i>Max. operating pressure</i>
106671	External pilots, dual supply - max. vacuum 10 bar	Multi-pole	-1 bar	10 bar
106670	Standard, internal pilots	Multi-pole	3 bar	7 bar
106673	External pilots - max. vacuum 10 bar	With integrated Profibus DP	-1 bar	10 bar
106672	Standard, internal pilots	With integrated Profibus DP	3 bar	7 bar