

## Datasheet for: 155892


**Comp.cyl., single-act., retr., P-Ø 63, Stroke 10, G1/8,ISO21287**

Compact cyl.ISO 21287, single-acting, male piston rod,retr.,magnet,PistonØ63,Stroke10,G1/8,Work.press.max.10bar,Temp.-20°C to 70°C . Series acc. to ISO 21287 characterised by a very short and compact design. The standard type features a magnetic piston. Piston rod optionally with male or female thread. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	15.EMA.63010
-------------	--------------

Article number	155892
----------------	--------

EAN/barcode	
-------------	--



4047322622707

Your price	64,41 € / Stk
------------	---------------

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Connection	G 1/8
Jacket	Anodised aluminium jacket with T-slots
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Page No.	HK416
Piston	Aluminium
Piston rod	S45C steel, hard chrome-plated
Piston rod ET	M12x1.25
Piston Ø	63 mm
Sealant	NBR
Stroke	10 mm

## Variants

Article number	Piston Ø	Stroke	Connection	Piston rod ET	Price
155892	63 mm	10 mm	G 1/8	M12x1.25	64,41 € / Stk
155868	20 mm	15 mm	M5	M8x1.25	30,93 € / Stk
155862	16 mm	10 mm	M5	M6x1.0	28,54 € / Stk
155871	25 mm	5 mm	M5	M8x1.25	33,17 € / Stk
155897	80 mm	10 mm	G 1/8	M16x1.5	96,44 € / Stk
155875	25 mm	25 mm	M5	M8x1.25	35,57 € / Stk
155901	100 mm	5 mm	G 1/8	M16x1.5	120,50 € / Stk
155874	25 mm	20 mm	M5	M8x1.25	35,15 € / Stk
155873	25 mm	15 mm	M5	M8x1.25	34,31 € / Stk
155863	16 mm	15 mm	M5	M6x1.0	29,26 € / Stk
155879	32 mm	20 mm	G 1/8	M10x1.25	38,23 € / Stk
155904	100 mm	20 mm	G 1/8	M16x1.5	125,13 € / Stk
155872	25 mm	10 mm	M5	M8x1.25	33,59 € / Stk
155895	63 mm	25 mm	G 1/8	M12x1.25	67,22 € / Stk
155867	20 mm	10 mm	M5	M8x1.25	30,25 € / Stk
155898	80 mm	15 mm	G 1/8	M16x1.5	97,58 € / Stk
155878	32 mm	15 mm	G 1/8	M10x1.25	37,39 € / Stk
155883	40 mm	15 mm	G 1/8	M10x1.25	43,59 € / Stk
155864	16 mm	20 mm	M5	M6x1.0	29,53 € / Stk
155876	32 mm	5 mm	G 1/8	M10x1.25	36,29 € / Stk
155886	50 mm	5 mm	G 1/8	M12x1.25	49,78 € / Stk
155861	16 mm	5 mm	M5	M6x1.0	28,39 € / Stk
155891	63 mm	5 mm	G 1/8	M12x1.25	63,27 € / Stk
155894	63 mm	20 mm	G 1/8	M12x1.25	66,08 € / Stk
155903	100 mm	15 mm	G 1/8	M16x1.5	123,58 € / Stk
155865	16 mm	25 mm	M5	M6x1.0	29,94 € / Stk
155893	63 mm	15 mm	G 1/8	M12x1.25	65,25 € / Stk
155902	100 mm	10 mm	G 1/8	M16x1.5	122,06 € / Stk
155890	50 mm	25 mm	G 1/8	M12x1.25	53,01 € / Stk
155870	20 mm	25 mm	M5	M8x1.25	32,07 € / Stk
155859	12 mm	5 mm	M5	M5x0.8	28,27 € / Stk
155900	80 mm	25 mm	G 1/8	M16x1.5	99,98 € / Stk
155885	40 mm	25 mm	G 1/8	M10x1.25	44,99 € / Stk
155884	40 mm	20 mm	G 1/8	M10x1.25	44,42 € / Stk

## Variants

Article number	Piston Ø	Stroke	Connection	Piston rod ET	Price
155899	80 mm	20 mm	G 1/8	M16x1.5	98,84 € / Stk
155866	20 mm	5 mm	M5	M8x1.25	29,94 € / Stk
155905	100 mm	25 mm	G 1/8	M16x1.5	126,69 € / Stk
155887	50 mm	10 mm	G 1/8	M12x1.25	50,35 € / Stk
155877	32 mm	10 mm	G 1/8	M10x1.25	36,71 € / Stk
155896	80 mm	5 mm	G 1/8	M16x1.5	95,34 € / Stk
155882	40 mm	10 mm	G 1/8	M10x1.25	43,02 € / Stk
155860	12 mm	10 mm	M5	M5x0.8	28,39 € / Stk
155869	20 mm	20 mm	M5	M8x1.25	31,08 € / Stk
155889	50 mm	20 mm	G 1/8	M12x1.25	52,02 € / Stk
155880	32 mm	25 mm	G 1/8	M10x1.25	38,80 € / Stk
155881	40 mm	5 mm	G 1/8	M10x1.25	42,45 € / Stk
155888	50 mm	15 mm	G 1/8	M12x1.25	51,45 € / Stk

## More Pictures

