

Datasheet for: 115205


Short stroke cyl., single-acting, Piston Ø 63, Stroke 10, G 1/4

Short stroke cylinder »ASQ« single-acting, Magnet, Piston Ø 63, Stroke 10, G 1/4, Working pressure 2-10 bar, Temp. -20°C to 70°C . Suitable for installation in limited spaces. Supplied with magnet. Short-stroke cylinders in two different versions: »ACQ« Series, double-acting, Ø 12 to 100 »ASQ« Series, single-acting, Ø 12 to 63 Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	12.EM.63010
-------------	-------------

Article number	115205
----------------	--------

EAN/barcode	 4047322329439
-------------	--

Your price	81,58 € / Stk
------------	---------------

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Connection	G 1/4
Jacket	Aluminium
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Min. working pressure	2 bar
Page No.	HK402
Page No. AS	AS070
Piston	Aluminium
Piston rod	Steel, thick-chromed
Piston rod IT	M10x1.5
Piston rod-Ø	20 mm
Piston Ø	63 mm
Sealant	NBR
Stroke	10 mm
Type	6

Variants

Article number	Piston Ø	Stroke	Type	Connection	Price
115205	63 mm	10 mm	6	G 1/4	81,58 € / Stk
115176	20 mm	15 mm	5	M5x0.8	49,35 € / Stk
115198	50 mm	5 mm	6	G 1/4	63,79 € / Stk
115197	40 mm	30 mm	6	G 1/8	62,39 € / Stk
115194	40 mm	15 mm	6	G 1/8	60,99 € / Stk
115203	50 mm	30 mm	6	G 1/4	79,73 € / Stk
115196	40 mm	25 mm	6	G 1/8	61,92 € / Stk
115209	63 mm	30 mm	6	G 1/4	85,33 € / Stk
115168	12 mm	15 mm	4	M5x0.8	45,75 € / Stk
115172	16 mm	15 mm	4	M5x0.8	47,50 € / Stk
115207	63 mm	20 mm	6	G 1/4	83,45 € / Stk
115193	40 mm	10 mm	6	G 1/8	60,53 € / Stk
115195	40 mm	20 mm	6	G 1/8	61,46 € / Stk
115188	32 mm	15 mm	6	G 1/8	58,19 € / Stk
115208	63 mm	25 mm	6	G 1/4	84,39 € / Stk
115173	16 mm	20 mm	4	M5x0.8	47,95 € / Stk
115186	32 mm	5 mm	6	G 1/8	57,26 € / Stk
115204	63 mm	5 mm	6	G 1/4	80,66 € / Stk
115190	32 mm	25 mm	6	G 1/8	59,12 € / Stk
115181	25 mm	10 mm	5	M5x0.8	51,68 € / Stk
115192	40 mm	5 mm	6	G 1/8	60,07 € / Stk
115184	25 mm	25 mm	5	M5x0.8	53,07 € / Stk
115169	12 mm	20 mm	4	M5x0.8	46,21 € / Stk
115179	20 mm	30 mm	5	M5x0.8	50,76 € / Stk
115202	50 mm	25 mm	6	G 1/4	66,57 € / Stk
115206	63 mm	15 mm	6	G 1/4	82,51 € / Stk
115180	25 mm	5 mm	5	M5x0.8	51,21 € / Stk
115185	25 mm	30 mm	5	M5x0.8	53,54 € / Stk
115189	32 mm	20 mm	6	G 1/8	58,65 € / Stk
115191	32 mm	30 mm	6	G 1/8	59,58 € / Stk
115182	25 mm	15 mm	5	M5x0.8	52,14 € / Stk
115183	25 mm	20 mm	5	M5x0.8	52,61 € / Stk
115200	50 mm	15 mm	6	G 1/4	65,17 € / Stk
115201	50 mm	20 mm	6	G 1/4	65,87 € / Stk

Variants

Article number	Piston Ø	Stroke	Type	Connection	Price
115166	12 mm	5 mm	4	M5x0.8	44,82 € / Stk
115175	20 mm	10 mm	5	M5x0.8	48,88 € / Stk
115199	50 mm	10 mm	6	G 1/4	64,48 € / Stk
115177	20 mm	20 mm	5	M5x0.8	49,81 € / Stk
115167	12 mm	10 mm	4	M5x0.8	45,28 € / Stk
115178	20 mm	25 mm	5	M5x0.8	50,28 € / Stk
115187	32 mm	10 mm	6	G 1/8	57,73 € / Stk
115170	16 mm	5 mm	4	M5x0.8	46,67 € / Stk
115174	20 mm	5 mm	5	M5x0.8	48,43 € / Stk
115171	16 mm	10 mm	4	M5x0.8	47,02 € / Stk

More Pictures

