


Datasheet for: 124787


Filter regulator »variobloc« with protective cage, Size 2, G 1/2

Filter regulator »variobloc«, PC container, Protective cage and pressure gauge, Size 2, G 1/2, Input pressure max. 16 bar . Reversible diaphragm pressure regulators, independent of inlet pressure, with self-relieving design, combined with a centrifugal separator. The pressure setting can be locked by pushing the knob down. Approved series in modern industrial design, with the following key benefits: - Simple handling - Convenient modular assembly thanks to innovative fasteners - Excellent flow values

Type number	VFR 43 S
Article number	124787
EAN/barcode	 4047322397063
Your price	111,96 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

A	70.0 mm
B	273.0 mm
Bowl	Polycarbonate container with protective cage
C	98.0 mm
Condensate drain	Manual
Diaphragms	NBR
Filter rating	40.0 μm
Flow rate	5500 l/min
Flow rate measurement	At $P_1 = 10$ bar, $P_2 = 6$ bar and pressure drop $\Delta_p = 1$ bar
Housing	Die-cast zinc
Max. ambient temperature	50 °C
Max. control range	10.0 bar
Max. input pressure	16 bar
Max. medium temperature	50 °C
Min. control range	0.5 bar
Page No.	WEB
Pressure gauge display max.	10.0 bar

Pressure gauge display min.	0.0 bar
Sealant	NBR
Series	variobloc
Size	2
Spring bonnet	POM
Thread	G 1/2

Variants

Article number	Thread	Flow rate	Size	Price
124787	G 1/2	5500 l/min	2	111,96 € / Stk
124782	G 3/8	3000 l/min	1	74,55 € / Stk
124776	G 1/4	2000 l/min	1	74,55 € / Stk
124796	G 3/4	6500 l/min	2	111,96 € / Stk
124803	G 1	6500 l/min	2	146,55 € / Stk

More Pictures

