

## Datasheet for: 155853


**Comp.cyl., single-act., retr., P-Ø 80, Stroke 25, G1/8,ISO21287**

Compact cyl.ISO 21287,single-acting,female piston rod,retr.,magnet,PistonØ80,Stroke25,G1/8,Work.press.max.10bar,Temp.-20°C to 70°C . Series acc. to ISO 21287 characterised by a very short and compact design. The standard type features a magnetic piston. Piston rod optionally with male or female thread. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	15.EMI.80025
Article number	155853
EAN/barcode	 4047322622318
Your price	99,98 € / Stk

**Minimum order quantity**

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

**Productdata**

Connection	G 1/8
Jacket	Anodised aluminium jacket with T-slots
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Page No.	HK415
Piston	Aluminium
Piston rod	S45C steel, hard chrome-plated
Piston rod IT	M12x1.75
Piston Ø	80 mm
Sealant	NBR
Stroke	25 mm

## Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155853	80 mm	25 mm	G 1/8	M12x1.75	99,98 € / Stk
155845	63 mm	10 mm	G 1/8	M10x1.5	64,41 € / Stk
155829	32 mm	5 mm	G 1/8	M8x1.25	36,29 € / Stk
155847	63 mm	20 mm	G 1/8	M10x1.5	66,08 € / Stk
155850	80 mm	10 mm	G 1/8	M12x1.75	96,44 € / Stk
155844	63 mm	5 mm	G 1/8	M10x1.5	63,27 € / Stk
155817	16 mm	20 mm	M5	M4x0.7	29,53 € / Stk
155828	25 mm	25 mm	M5	M6x1.0	35,57 € / Stk
155836	40 mm	15 mm	G 1/8	M8x1.25	43,59 € / Stk
155818	16 mm	25 mm	M5	M4x0.7	29,94 € / Stk
155819	20 mm	5 mm	M5	M6x1.0	29,94 € / Stk
155848	63 mm	25 mm	G 1/8	M10x1.5	67,22 € / Stk
155855	100 mm	10 mm	G 1/8	M12x1.75	122,06 € / Stk
155825	25 mm	10 mm	M5	M6x1.0	33,59 € / Stk
155830	32 mm	10 mm	G 1/8	M8x1.25	36,71 € / Stk
155826	25 mm	15 mm	M5	M6x1.0	34,31 € / Stk
155852	80 mm	20 mm	G 1/8	M12x1.75	98,84 € / Stk
155839	50 mm	5 mm	G 1/8	M10x1.5	49,78 € / Stk
155846	63 mm	15 mm	G 1/8	M10x1.5	65,25 € / Stk
155814	16 mm	5 mm	M5	M4x0.7	28,39 € / Stk
155854	100 mm	5 mm	G 1/8	M12x1.75	120,50 € / Stk
155851	80 mm	15 mm	G 1/8	M12x1.75	97,58 € / Stk
155827	25 mm	20 mm	M5	M6x1.0	35,15 € / Stk
155843	50 mm	25 mm	G 1/8	M10x1.5	53,01 € / Stk
155835	40 mm	10 mm	G 1/8	M8x1.25	43,02 € / Stk
155823	20 mm	25 mm	M5	M6x1.0	32,07 € / Stk
155834	40 mm	5 mm	G 1/8	M8x1.25	42,45 € / Stk
155822	20 mm	20 mm	M5	M6x1.0	31,08 € / Stk
155838	40 mm	25 mm	G 1/8	M8x1.25	44,99 € / Stk
155840	50 mm	10 mm	G 1/8	M10x1.5	50,35 € / Stk
155837	40 mm	20 mm	G 1/8	M8x1.25	44,42 € / Stk
155849	80 mm	5 mm	G 1/8	M12x1.75	95,34 € / Stk
155816	16 mm	15 mm	M5	M4x0.7	29,26 € / Stk
155856	100 mm	15 mm	G 1/8	M12x1.75	123,58 € / Stk

## Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155813	12 mm	10 mm	M5	M3x0.5	28,39 € / Stk
155832	32 mm	20 mm	G 1/8	M8x1.25	38,23 € / Stk
155815	16 mm	10 mm	M5	M4x0.7	28,54 € / Stk
155857	100 mm	20 mm	G 1/8	M12x1.75	125,13 € / Stk
155858	100 mm	25 mm	G 1/8	M12x1.75	126,69 € / Stk
155824	25 mm	5 mm	M5	M6x1.0	33,17 € / Stk
155833	32 mm	25 mm	G 1/8	M8x1.25	38,80 € / Stk
155831	32 mm	15 mm	G 1/8	M8x1.25	37,39 € / Stk
155820	20 mm	10 mm	M5	M6x1.0	30,25 € / Stk
155821	20 mm	15 mm	M5	M6x1.0	30,93 € / Stk
155812	12 mm	5 mm	M5	M3x0.5	28,27 € / Stk
155842	50 mm	20 mm	G 1/8	M10x1.5	52,02 € / Stk
155841	50 mm	15 mm	G 1/8	M10x1.5	51,45 € / Stk

## More Pictures

