

Datasheet for: 102355



Glycerine pressure gauge, CrNi steel, G 1/2, -1 / +1.5 bar, Ø 160

Glycerine pressure gauge CrNi steel design, Connection radial bottom, G 1/2, Goods class 1.0, Measurement range -1/+1.5 bar, Ø 160 . Glycerine-filled bourdon-tube pressure gauge, CrNi steel type. For use in the chemical/petrochemical process industry, power stations, machinery and industrial plant engineering. For measurements in areas with high, dynamic pressure loads and vibration levels. Suitable for gaseous or liquid, corrosive and crystallising media which do not have high viscosity, also in corrosive atmosphere.

Type number	740/2
Article number	102355
EAN/barcode	 4047322116589
Your price	147,59 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.0
Connection	G 1/2
Connection position	radial on bottom
Diameter	160 mm
Front glass	Laminated safety glass
Lower / Upper range limit	Vacuum/Positive pressure
Material	CrNi steel
Max. ambient temperature	60 °C
Max. medium temperature	100 °C
Measuring range max. bar	1.5
Measuring range min. bar	-1.0
Min. ambient temperature	-20 °C
Page No.	HK213
Scale graduation in the bar area	0.05 bar
Type	233.50

Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
102355	1.0	-1.0	1.5	160 mm	G 1/2	147,59 € / Stk
102353	1.0	-1.0	0.0	160 mm	G 1/2	147,59 € / Stk
102354	1.0	-1.0	0.6	160 mm	G 1/2	147,59 € / Stk
102356	1.0	-1.0	3.0	160 mm	G 1/2	147,59 € / Stk
102357	1.0	-1.0	5.0	160 mm	G 1/2	147,59 € / Stk
102358	1.0	-1.0	9.0	160 mm	G 1/2	147,59 € / Stk
102359	1.0	-1.0	15.0	160 mm	G 1/2	147,59 € / Stk
102360	1.0	0.0	0.6	160 mm	G 1/2	147,59 € / Stk
102361	1.0	0.0	1.0	160 mm	G 1/2	147,59 € / Stk
102362	1.0	0.0	1.6	160 mm	G 1/2	147,59 € / Stk
102363	1.0	0.0	2.5	160 mm	G 1/2	147,59 € / Stk
102364	1.0	0.0	4.0	160 mm	G 1/2	147,59 € / Stk
102365	1.0	0.0	6.0	160 mm	G 1/2	147,59 € / Stk
102366	1.0	0.0	10.0	160 mm	G 1/2	147,59 € / Stk
102367	1.0	0.0	16.0	160 mm	G 1/2	147,59 € / Stk
102368	1.0	0.0	25.0	160 mm	G 1/2	147,59 € / Stk
102369	1.0	0.0	40.0	160 mm	G 1/2	147,59 € / Stk
102370	1.0	0.0	60.0	160 mm	G 1/2	185,45 € / Stk
102371	1.0	0.0	100.0	160 mm	G 1/2	185,45 € / Stk
102372	1.0	0.0	160.0	160 mm	G 1/2	185,45 € / Stk
102373	1.0	0.0	250.0	160 mm	G 1/2	185,45 € / Stk
102374	1.0	0.0	400.0	160 mm	G 1/2	185,45 € / Stk
102375	1.0	0.0	600.0	160 mm	G 1/2	185,45 € / Stk
102313	1.6	-1.0	9.0	63 mm	G 1/4	75,09 € / Stk
102312	1.6	-1.0	5.0	63 mm	G 1/4	75,09 € / Stk
102340	1.0	0.0	2.5	100 mm	G 1/2	141,69 € / Stk
102314	1.6	-1.0	15.0	63 mm	G 1/4	75,09 € / Stk
102323	1.6	0.0	40.0	63 mm	G 1/4	71,15 € / Stk
102322	1.6	0.0	25.0	63 mm	G 1/4	71,15 € / Stk
102327	1.6	0.0	250.0	63 mm	G 1/4	90,83 € / Stk
102348	1.0	0.0	100.0	100 mm	G 1/2	168,03 € / Stk

Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
102350	1.0	0.0	250.0	100 mm	G 1/2	168,03 € / Stk
102311	1.6	-1.0	3.0	63 mm	G 1/4	75,09 € / Stk
102324	1.6	0.0	60.0	63 mm	G 1/4	90,83 € / Stk
102336	1.0	-1.0	15.0	100 mm	G 1/2	141,69 € / Stk
102341	1.0	0.0	4.0	100 mm	G 1/2	141,69 € / Stk
102352	1.0	0.0	600.0	100 mm	G 1/2	168,03 € / Stk
102310	1.6	-1.0	1.5	63 mm	G 1/4	75,09 € / Stk
102330	1.0	-1.0	0.0	100 mm	G 1/2	141,69 € / Stk
102344	1.0	0.0	16.0	100 mm	G 1/2	139,26 € / Stk
102308	1.6	-1.0	0.0	63 mm	G 1/4	75,09 € / Stk
102337	1.0	0.0	0.6	100 mm	G 1/2	141,69 € / Stk
102309	1.6	-1.0	0.6	63 mm	G 1/4	75,09 € / Stk
102342	1.0	0.0	6.0	100 mm	G 1/2	139,26 € / Stk
102329	1.6	0.0	600.0	63 mm	G 1/4	90,83 € / Stk
102334	1.0	-1.0	5.0	100 mm	G 1/2	141,69 € / Stk
102339	1.0	0.0	1.6	100 mm	G 1/2	141,69 € / Stk
102338	1.0	0.0	1.0	100 mm	G 1/2	141,69 € / Stk
102319	1.6	0.0	6.0	63 mm	G 1/4	71,15 € / Stk
102328	1.6	0.0	400.0	63 mm	G 1/4	90,83 € / Stk
102331	1.0	-1.0	0.6	100 mm	G 1/2	141,69 € / Stk
102318	1.6	0.0	4.0	63 mm	G 1/4	75,09 € / Stk
102317	1.6	0.0	2.5	63 mm	G 1/4	75,09 € / Stk
102346	1.0	0.0	40.0	100 mm	G 1/2	139,26 € / Stk
102315	1.6	0.0	1.0	63 mm	G 1/4	75,09 € / Stk
102333	1.0	-1.0	3.0	100 mm	G 1/2	141,69 € / Stk
102332	1.0	-1.0	1.5	100 mm	G 1/2	141,69 € / Stk
102335	1.0	-1.0	9.0	100 mm	G 1/2	141,69 € / Stk
102321	1.6	0.0	16.0	63 mm	G 1/4	71,15 € / Stk
102316	1.6	0.0	1.6	63 mm	G 1/4	75,09 € / Stk
102325	1.6	0.0	100.0	63 mm	G 1/4	90,83 € / Stk
102326	1.6	0.0	160.0	63 mm	G 1/4	90,83 € / Stk

Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
102320	1.6	0.0	10.0	63 mm	G 1/4	71,15 € / Stk
102351	1.0	0.0	400.0	100 mm	G 1/2	168,03 € / Stk
102343	1.0	0.0	10.0	100 mm	G 1/2	139,26 € / Stk
102349	1.0	0.0	160.0	100 mm	G 1/2	168,03 € / Stk
102347	1.0	0.0	60.0	100 mm	G 1/2	168,03 € / Stk
102345	1.0	0.0	25.0	100 mm	G 1/2	139,26 € / Stk