

Datasheet for: 102489


Pressure gauge, CrNi steel, radial bottom, G 1/2, -1/+9 bar, Ø100

Pressure gauge CrNi steel design, Connection radial bottom, G 1/2, Goods class 1.0, Measurement range -1 / +9 bar, Ø 100 . Bourdon-tube pressure gauge, CrNi steel type, all stainless steel. Suitable for gaseous or liquid media which do not have high viscosity and do not crystallise, also in corrosive atmosphere.

| | |
|----------------|--|
| Type number | 4027 |
| Article number | 102489 |
| EAN/barcode |  4047322084574 |
| Your price | 152,96 € / Stk |

Minimum order quantity

| | |
|------------------------|-------|
| Price Unit | 1 |
| Quantity Unit | Stk |
| Packaging Unit | 1 |
| Content | 1 Stk |
| Minimum order quantity | 1 |

Productdata

| | |
|----------------------------------|--------------------------|
| Accuracy class | 1.0 |
| Connection | G 1/2 |
| Connection position | radial on bottom |
| Diameter | 100 mm |
| Front glass | Laminated safety glass |
| Lower / Upper range limit | Vacuum/Positive pressure |
| Material | CrNi steel |
| Max. ambient temperature | 60 °C |
| Max. medium temperature | 200 °C |
| Measuring range max. bar | 9.0 |
| Measuring range min. bar | -1.0 |
| Min. ambient temperature | -40 °C |
| Page No. | HK218 |
| Scale graduation in the bar area | 0.2 bar |
| Type | 232.50 |

Variants

| Article number | Accuracy class | Measuring range min. bar | Measuring range max. bar | Diameter | Connection | Price |
|----------------|----------------|--------------------------|--------------------------|----------|------------|----------------|
| 102489 | 1.0 | -1.0 | 9.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102475 | 1.6 | -1.0 | 0.0 | 63 mm | G 1/4 | 89,69 € / Stk |
| 102476 | 1.6 | 0.0 | 2.5 | 63 mm | G 1/4 | 89,69 € / Stk |
| 102477 | 1.6 | 0.0 | 4.0 | 63 mm | G 1/4 | 89,69 € / Stk |
| 102478 | 1.6 | 0.0 | 6.0 | 63 mm | G 1/4 | 86,67 € / Stk |
| 102479 | 1.6 | 0.0 | 10.0 | 63 mm | G 1/4 | 86,67 € / Stk |
| 102480 | 1.6 | 0.0 | 16.0 | 63 mm | G 1/4 | 86,67 € / Stk |
| 102481 | 1.6 | 0.0 | 25.0 | 63 mm | G 1/4 | 86,67 € / Stk |
| 102482 | 1.6 | 0.0 | 40.0 | 63 mm | G 1/4 | 86,67 € / Stk |
| 102483 | 1.6 | 0.0 | 100.0 | 63 mm | G 1/4 | 107,07 € / Stk |
| 102484 | 1.0 | -1.0 | 0.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102485 | 1.0 | -1.0 | 0.6 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102486 | 1.0 | -1.0 | 1.5 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102487 | 1.0 | -1.0 | 3.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102488 | 1.0 | -1.0 | 5.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102490 | 1.0 | -1.0 | 15.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102491 | 1.0 | 0.0 | 1.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102492 | 1.0 | 0.0 | 1.6 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102493 | 1.0 | 0.0 | 2.5 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102494 | 1.0 | 0.0 | 4.0 | 100 mm | G 1/2 | 152,96 € / Stk |
| 102495 | 1.0 | 0.0 | 6.0 | 100 mm | G 1/2 | 141,41 € / Stk |
| 102496 | 1.0 | 0.0 | 10.0 | 100 mm | G 1/2 | 141,41 € / Stk |
| 102497 | 1.0 | 0.0 | 16.0 | 100 mm | G 1/2 | 141,41 € / Stk |
| 102498 | 1.0 | 0.0 | 25.0 | 100 mm | G 1/2 | 141,41 € / Stk |
| 102499 | 1.0 | 0.0 | 40.0 | 100 mm | G 1/2 | 141,41 € / Stk |
| 102500 | 1.0 | 0.0 | 60.0 | 100 mm | G 1/2 | 176,47 € / Stk |
| 102501 | 1.0 | -1.0 | 0.0 | 160 mm | G 1/2 | 216,66 € / Stk |
| 102502 | 1.0 | -1.0 | 0.6 | 160 mm | G 1/2 | 216,66 € / Stk |
| 102503 | 1.0 | 0.0 | 1.0 | 160 mm | G 1/2 | 216,66 € / Stk |
| 102504 | 1.0 | 0.0 | 10.0 | 160 mm | G 1/2 | 213,87 € / Stk |
| 102505 | 1.0 | 0.0 | 16.0 | 160 mm | G 1/2 | 213,87 € / Stk |

Variants

| <i>Article number</i> | <i>Accuracy class</i> | <i>Measuring range min. bar</i> | <i>Measuring range max. bar</i> | <i>Diameter</i> | <i>Connection</i> | <i>Price</i> |
|-----------------------|-----------------------|---------------------------------|---------------------------------|-----------------|-------------------|----------------|
| 102506 | 1.0 | 0.0 | 25.0 | 160 mm | G 1/2 | 213,87 € / Stk |