

Datasheet for: 102502


Pressure gauge, CrNi steel, radial bottom, G 1/2, -1 / +0.6 bar

Pressure gauge CrNi steel design, Connection radial bottom, G 1/2, Goods class 1.0, Measurement range -1 / +0.6 bar, Ø 160 . Bourdon-tube pressure gauge, CrNi steel type, all stainless steel. Suitable for gaseous or liquid media which do not have high viscosity and do not crystallise, also in corrosive atmosphere.

Type number	4013
-------------	------

Article number	102502
----------------	--------

EAN/barcode



4047322084505

Your price	216,66 € / Stk
------------	----------------

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Accuracy class	1.0
Connection	G 1/2
Connection position	radial on bottom
Diameter	160 mm
Front glass	Laminated safety glass
Lower / Upper range limit	Vacuum/Positive pressure
Material	CrNi steel
Max. ambient temperature	60 °C
Max. medium temperature	200 °C
Measuring range max. bar	0.6
Measuring range min. bar	-1.0
Min. ambient temperature	-40 °C
Page No.	HK218
Scale graduation in the bar area	0.05 bar
Type	232.50

Variants

Article number	Accuracy class	Measuring range min. bar	Measuring range max. bar	Diameter	Connection	Price
102502	1.0	-1.0	0.6	160 mm	G 1/2	216,66 € / Stk
102475	1.6	-1.0	0.0	63 mm	G 1/4	89,69 € / Stk
102476	1.6	0.0	2.5	63 mm	G 1/4	89,69 € / Stk
102477	1.6	0.0	4.0	63 mm	G 1/4	89,69 € / Stk
102478	1.6	0.0	6.0	63 mm	G 1/4	86,67 € / Stk
102479	1.6	0.0	10.0	63 mm	G 1/4	86,67 € / Stk
102480	1.6	0.0	16.0	63 mm	G 1/4	86,67 € / Stk
102481	1.6	0.0	25.0	63 mm	G 1/4	86,67 € / Stk
102482	1.6	0.0	40.0	63 mm	G 1/4	86,67 € / Stk
102483	1.6	0.0	100.0	63 mm	G 1/4	107,07 € / Stk
102484	1.0	-1.0	0.0	100 mm	G 1/2	152,96 € / Stk
102485	1.0	-1.0	0.6	100 mm	G 1/2	152,96 € / Stk
102486	1.0	-1.0	1.5	100 mm	G 1/2	152,96 € / Stk
102487	1.0	-1.0	3.0	100 mm	G 1/2	152,96 € / Stk
102488	1.0	-1.0	5.0	100 mm	G 1/2	152,96 € / Stk
102489	1.0	-1.0	9.0	100 mm	G 1/2	152,96 € / Stk
102490	1.0	-1.0	15.0	100 mm	G 1/2	152,96 € / Stk
102491	1.0	0.0	1.0	100 mm	G 1/2	152,96 € / Stk
102492	1.0	0.0	1.6	100 mm	G 1/2	152,96 € / Stk
102493	1.0	0.0	2.5	100 mm	G 1/2	152,96 € / Stk
102494	1.0	0.0	4.0	100 mm	G 1/2	152,96 € / Stk
102495	1.0	0.0	6.0	100 mm	G 1/2	141,41 € / Stk
102496	1.0	0.0	10.0	100 mm	G 1/2	141,41 € / Stk
102497	1.0	0.0	16.0	100 mm	G 1/2	141,41 € / Stk
102498	1.0	0.0	25.0	100 mm	G 1/2	141,41 € / Stk
102499	1.0	0.0	40.0	100 mm	G 1/2	141,41 € / Stk
102500	1.0	0.0	60.0	100 mm	G 1/2	176,47 € / Stk
102501	1.0	-1.0	0.0	160 mm	G 1/2	216,66 € / Stk
102503	1.0	0.0	1.0	160 mm	G 1/2	216,66 € / Stk
102504	1.0	0.0	10.0	160 mm	G 1/2	213,87 € / Stk
102505	1.0	0.0	16.0	160 mm	G 1/2	213,87 € / Stk

Variants

<i>Article number</i>	<i>Accuracy class</i>	<i>Measuring range min. bar</i>	<i>Measuring range max. bar</i>	<i>Diameter</i>	<i>Connection</i>	<i>Price</i>
102506	1.0	0.0	25.0	160 mm	G 1/2	213,87 € / Stk