

Datasheet for: 136507


Screw-in support POM, G 1/2, for hose exterior Ø 10 mm

Screw-in support POM, G 1/2, for hose exterior Ø 10 mm, Working pressure max. 10 bar . Lightweight, push-in fittings distinguished by high strength, toughness, resistance to abrasion and impact resistance - ideal for a wide range of applications. All our push-in fittings made of POM have the following approvals: drinking water DVGW, KTW, FDA and NSF. Plastic and metal tubes are connected together quickly and easily. Suitable for compressed air or liquids, with good resistance to a large number of chemicals.

Type number	75.012-10
Article number	136507
EAN/barcode	 4047322506069
Your price	2,05 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

For tube O.D.	10 mm
L1	38.5 mm
Material	Acetal polymer (POM)
Max. operating temperature in air	70 °C
Max. operating temperature in water	70 °C
Max. working pressure	10 bar
Min. operating temperature in air	-20 °C
Min. operating temperature in water	1 °C
Page No.	HK696
Thread	G 1/2
a/f	27 mm

Variants

Article number	Thread	For tube O.D.	Max. working pressure	a/f	Price
136507	G 1/2	10 mm	10 bar	27 mm	2,05 € / Stk
136497	G 1/8	8 mm	16 bar	17 mm	1,09 € / Stk
136505	G 3/8	12 mm	10 bar	24 mm	1,53 € / Stk
136506	G 3/8	15 mm	10 bar	22 mm	3,52 € / Stk
136495	G 1/8	5 mm	16 bar	14 mm	1,22 € / Stk
136508	G 1/2	12 mm	10 bar	27 mm	2,14 € / Stk
136511	G 1/2	22 mm	10 bar	27 mm	3,90 € / Stk
136512	G 3/4	22 mm	10 bar	37 mm	5,67 € / Stk
136509	G 1/2	15 mm	10 bar	27 mm	3,62 € / Stk
136494	G 1/8	4 mm	16 bar	14 mm	1,22 € / Stk
136496	G 1/8	6 mm	16 bar	15 mm	0,96 € / Stk
136503	G 3/8	8 mm	16 bar	22 mm	1,70 € / Stk
136510	G 1/2	18 mm	10 bar	27 mm	3,80 € / Stk
136498	G 1/4	4 mm	16 bar	17 mm	1,22 € / Stk
136500	G 1/4	6 mm	16 bar	17 mm	0,99 € / Stk
136499	G 1/4	5 mm	16 bar	17 mm	0,96 € / Stk
136504	G 3/8	10 mm	10 bar	22 mm	1,73 € / Stk
136502	G 1/4	10 mm	10 bar	20 mm	1,12 € / Stk
136501	G 1/4	8 mm	16 bar	17 mm	1,22 € / Stk

More Pictures

