

Datasheet for: 108394


Basic ejector »SBP-C« Bleeder valve, Silencer, Nozzle size 1.5 mm

Basic ejector »SBP-C«, Bleeder valve elec. vacuum switch, Silencer, Nozzle size 1.5 mm, Compressed air / vacuum connection 6/8 mm . Purely pneumatic vacuum generator that operates on the Venturi principle. Compressed air enters the ejector at A and flows through the nozzle B. This results in a vacuum immediately behind the nozzle outlet, and air is drawn in through the vacuum inlet D. This air and the driving air leave the ejector via the silencer C. Properties:

- Vacuum generator with a single nozzle, available in six power ratings, with a high maximum vacuum value (85%)



- Connection of compressed air and vacuum with push-in coupling
 - Basic housing with connection facility for a vacuum switch
 - Maximum suction capacity with minimum compressed air consumption
 - Minimum size, low weight
 - Various power ratings for optimised air consumption
- Applications:
- For universal use in handling systems with very high dynamic movements
 - Handling all kinds of air-tight components
 - For use in separation systems where space is restricted
 - Construction of ejector blocks for centralised or decentralised individual control of suction pads

Type number	SBPC 150
Article number	108394
EAN/barcode	 4047322198905
Your price	290,90 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Body Plastic (impact-resistant)

Compressed air inlet	6 mm
Connection	Push-in coupling
Height	50.0 mm
Length	142.0 mm
Nozzle size	1.5 mm
Nozzle system	Brass
Page No.	WEB
Silencer	Plastic
Suction valve idle position	NO
Vacuum inlet	8 mm
Width	15.0 mm

Variants

Article number	Nozzle size	Compressed air inlet	Vacuum inlet	Price
108394	1.5 mm	6 mm	8 mm	290,90 € / Stk
108393	1.0 mm	6 mm	8 mm	281,31 € / Stk
108395	2.0 mm	8 mm	10 mm	320,35 € / Stk
108396	2.5 mm	8 mm	10 mm	333,14 € / Stk

More Pictures

