


Datasheet for: 101196


Stainless steel pressure regulator, 1.4404, G 1/4, 1 - 15 bar

Stainless steel pressure regulator, 1.4404, without secondary venting (non-reversible), G 1/4, Control range 1 - 15 bar . Stainless steel regulators containing no non-ferrous metals for use in the food processing, chemical, mining, plant construction and special machinery industries as well as in the medical technology.

Type number	571.14 D
Article number	101196
EAN/barcode	 4047322101882
Your price	523,22 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

A	65.0 mm
B	162.0 mm
C	37.0 mm
D	125.0 mm
Diaphragms	PTFE on NBR-carrier
Flow rate	330 l/min
Flow rate measurement	At $P_1 = 8$ bar, $P_2 = 6$ bar and pressure drop $\Delta_p \leq 1$ bar
Housing	Stainless steel 1.4404 (AISI 316L)
Max. ambient temperature	80 °C
Max. control range	15.0 bar
Max. input pressure	50 bar
Max. medium temperature	80 °C
Min. control range	1.0 bar
Page No.	HK146
Sealant	FKM
Thread	G 1/4

Variants

Article number	Thread	Max. input pressure	Min. control range	Max. control range	Flow rate	Price
101196	G 1/4	50 bar	1.0 bar	15.0 bar	330 l/min	523,22 € / Stk
101195	G 1/4	30 bar	0.5 bar	8.0 bar	200 l/min	523,22 € / Stk
101197	G 1/2	30 bar	0.5 bar	8.0 bar	660 l/min	704,75 € / Stk
101198	G 1/2	50 bar	1.0 bar	15.0 bar	1800 l/min	704,75 € / Stk

More Pictures

