

Datasheet for: 155926


Comp.cyl., single-act., ext., P-Ø 32, Stroke 20, G1/8,ISO21287

Compact cyl.ISO 21287,single-acting,female piston rod, ext.,magnet,PistonØ32,Stroke20,G1/8,Work.press.max.10bar,Temp.-20°C to 70°C . Series acc. to ISO 21287 characterised by a very short and compact design. The standard type features a magnetic piston. Piston rod optionally with male or female thread. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	15.AMI.32020
-------------	--------------

Article number	155926
----------------	--------

EAN/barcode	 4047322623049
-------------	--



Your price	38,23 € / Stk
------------	---------------

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Connection	G 1/8
Jacket	Anodised aluminium jacket with T-slots
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Page No.	HK416
Piston	Aluminium
Piston rod	S45C steel, hard chrome-plated
Piston rod IT	M8x1.25
Piston Ø	32 mm
Sealant	NBR
Stroke	20 mm

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155926	32 mm	20 mm	G 1/8	M8x1.25	38,23 € / Stk
155951	100 mm	20 mm	G 1/8	M12x1.75	125,13 € / Stk
155908	16 mm	5 mm	M5	M4x0.7	28,39 € / Stk
155914	20 mm	10 mm	M5	M6x1.0	30,25 € / Stk
155934	50 mm	10 mm	G 1/8	M10x1.5	50,35 € / Stk
155927	32 mm	25 mm	G 1/8	M8x1.25	38,80 € / Stk
155932	40 mm	25 mm	G 1/8	M8x1.25	44,99 € / Stk
155949	100 mm	10 mm	G 1/8	M12x1.75	122,06 € / Stk
155938	63 mm	5 mm	G 1/8	M10x1.5	63,27 € / Stk
155921	25 mm	20 mm	M5	M6x1.0	35,15 € / Stk
155940	63 mm	15 mm	G 1/8	M10x1.5	65,25 € / Stk
155910	16 mm	15 mm	M5	M4x0.7	29,26 € / Stk
155952	100 mm	25 mm	G 1/8	M12x1.75	126,69 € / Stk
155911	16 mm	20 mm	M5	M4x0.7	29,53 € / Stk
155930	40 mm	15 mm	G 1/8	M8x1.25	43,59 € / Stk
155942	63 mm	25 mm	G 1/8	M10x1.5	67,22 € / Stk
155924	32 mm	10 mm	G 1/8	M8x1.25	36,71 € / Stk
155917	20 mm	25 mm	M5	M6x1.0	32,07 € / Stk
155945	80 mm	15 mm	G 1/8	M12x1.75	97,58 € / Stk
155946	80 mm	20 mm	G 1/8	M12x1.75	98,84 € / Stk
155922	25 mm	25 mm	M5	M6x1.0	35,57 € / Stk
155941	63 mm	20 mm	G 1/8	M10x1.5	66,08 € / Stk
155936	50 mm	20 mm	G 1/8	M10x1.5	52,02 € / Stk
155948	100 mm	5 mm	G 1/8	M12x1.75	120,50 € / Stk
155935	50 mm	15 mm	G 1/8	M10x1.5	51,45 € / Stk
155947	80 mm	25 mm	G 1/8	M12x1.75	99,98 € / Stk
155907	12 mm	10 mm	M5	M3x0.5	28,39 € / Stk
155915	20 mm	15 mm	M5	M6x1.0	30,93 € / Stk
155929	40 mm	10 mm	G 1/8	M8x1.25	43,02 € / Stk
155918	25 mm	5 mm	M5	M6x1.0	33,17 € / Stk
155939	63 mm	10 mm	G 1/8	M10x1.5	64,41 € / Stk
155931	40 mm	20 mm	G 1/8	M8x1.25	44,42 € / Stk
155933	50 mm	5 mm	G 1/8	M10x1.5	49,78 € / Stk
155906	12 mm	5 mm	M5	M3x0.5	28,27 € / Stk

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155937	50 mm	25 mm	G 1/8	M10x1.5	53,01 € / Stk
155943	80 mm	5 mm	G 1/8	M12x1.75	95,34 € / Stk
155920	25 mm	15 mm	M5	M6x1.0	34,31 € / Stk
155913	20 mm	5 mm	M5	M6x1.0	29,94 € / Stk
155916	20 mm	20 mm	M5	M6x1.0	31,08 € / Stk
155919	25 mm	10 mm	M5	M6x1.0	33,59 € / Stk
155928	40 mm	5 mm	G 1/8	M8x1.25	42,45 € / Stk
155912	16 mm	25 mm	M5	M4x0.7	29,94 € / Stk
155925	32 mm	15 mm	G 1/8	M8x1.25	37,39 € / Stk
155944	80 mm	10 mm	G 1/8	M12x1.75	96,44 € / Stk
155909	16 mm	10 mm	M5	M4x0.7	28,54 € / Stk
155923	32 mm	5 mm	G 1/8	M8x1.25	36,29 € / Stk
155950	100 mm	15 mm	G 1/8	M12x1.75	123,58 € / Stk

More Pictures

