


Datasheet for: 155928


Comp.cyl., single-act., ext., P-Ø 40, Stroke 5, G1/8,ISO21287

Compact cyl.ISO 21287, single-acting,female piston rod, ext.,magnet,PistonØ40,Stroke5,G1/8,Work.press.max.10bar,Temp.-20°C to 70°C . Series acc. to ISO 21287 characterised by a very short and compact design. The standard type features a magnetic piston. Piston rod optionally with male or female thread. Suitable for filtered, unlubricated or lubricated compressed air. If lubrication is used, it must be continuous.

Type number	15.AMI.40005
Article number	155928
EAN/barcode	 4047322623063
Your price	42,45 € / Stk

Minimum order quantity

Price Unit	1
Quantity Unit	Stk
Packaging Unit	1
Content	1 Stk
Minimum order quantity	1

Productdata

Connection	G 1/8
Jacket	Anodised aluminium jacket with T-slots
Max. temperature range	70 °C
Max. working pressure	10 bar
Min. temperature range	-20 °C
Page No.	HK416
Piston	Aluminium
Piston rod	S45C steel, hard chrome-plated
Piston rod IT	M8x1.25
Piston Ø	40 mm
Sealant	NBR
Stroke	5 mm

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155928	40 mm	5 mm	G 1/8	M8x1.25	42,45 € / Stk
155951	100 mm	20 mm	G 1/8	M12x1.75	125,13 € / Stk
155908	16 mm	5 mm	M5	M4x0.7	28,39 € / Stk
155914	20 mm	10 mm	M5	M6x1.0	30,25 € / Stk
155934	50 mm	10 mm	G 1/8	M10x1.5	50,35 € / Stk
155927	32 mm	25 mm	G 1/8	M8x1.25	38,80 € / Stk
155932	40 mm	25 mm	G 1/8	M8x1.25	44,99 € / Stk
155949	100 mm	10 mm	G 1/8	M12x1.75	122,06 € / Stk
155938	63 mm	5 mm	G 1/8	M10x1.5	63,27 € / Stk
155921	25 mm	20 mm	M5	M6x1.0	35,15 € / Stk
155940	63 mm	15 mm	G 1/8	M10x1.5	65,25 € / Stk
155910	16 mm	15 mm	M5	M4x0.7	29,26 € / Stk
155952	100 mm	25 mm	G 1/8	M12x1.75	126,69 € / Stk
155911	16 mm	20 mm	M5	M4x0.7	29,53 € / Stk
155930	40 mm	15 mm	G 1/8	M8x1.25	43,59 € / Stk
155942	63 mm	25 mm	G 1/8	M10x1.5	67,22 € / Stk
155924	32 mm	10 mm	G 1/8	M8x1.25	36,71 € / Stk
155917	20 mm	25 mm	M5	M6x1.0	32,07 € / Stk
155945	80 mm	15 mm	G 1/8	M12x1.75	97,58 € / Stk
155946	80 mm	20 mm	G 1/8	M12x1.75	98,84 € / Stk
155922	25 mm	25 mm	M5	M6x1.0	35,57 € / Stk
155941	63 mm	20 mm	G 1/8	M10x1.5	66,08 € / Stk
155926	32 mm	20 mm	G 1/8	M8x1.25	38,23 € / Stk
155936	50 mm	20 mm	G 1/8	M10x1.5	52,02 € / Stk
155948	100 mm	5 mm	G 1/8	M12x1.75	120,50 € / Stk
155935	50 mm	15 mm	G 1/8	M10x1.5	51,45 € / Stk
155947	80 mm	25 mm	G 1/8	M12x1.75	99,98 € / Stk
155907	12 mm	10 mm	M5	M3x0.5	28,39 € / Stk
155915	20 mm	15 mm	M5	M6x1.0	30,93 € / Stk
155929	40 mm	10 mm	G 1/8	M8x1.25	43,02 € / Stk
155918	25 mm	5 mm	M5	M6x1.0	33,17 € / Stk
155939	63 mm	10 mm	G 1/8	M10x1.5	64,41 € / Stk
155931	40 mm	20 mm	G 1/8	M8x1.25	44,42 € / Stk
155933	50 mm	5 mm	G 1/8	M10x1.5	49,78 € / Stk

Variants

Article number	Piston Ø	Stroke	Connection	Piston rod IT	Price
155906	12 mm	5 mm	M5	M3x0.5	28,27 € / Stk
155937	50 mm	25 mm	G 1/8	M10x1.5	53,01 € / Stk
155943	80 mm	5 mm	G 1/8	M12x1.75	95,34 € / Stk
155920	25 mm	15 mm	M5	M6x1.0	34,31 € / Stk
155913	20 mm	5 mm	M5	M6x1.0	29,94 € / Stk
155916	20 mm	20 mm	M5	M6x1.0	31,08 € / Stk
155919	25 mm	10 mm	M5	M6x1.0	33,59 € / Stk
155912	16 mm	25 mm	M5	M4x0.7	29,94 € / Stk
155925	32 mm	15 mm	G 1/8	M8x1.25	37,39 € / Stk
155944	80 mm	10 mm	G 1/8	M12x1.75	96,44 € / Stk
155909	16 mm	10 mm	M5	M4x0.7	28,54 € / Stk
155923	32 mm	5 mm	G 1/8	M8x1.25	36,29 € / Stk
155950	100 mm	15 mm	G 1/8	M12x1.75	123,58 € / Stk

More Pictures

